



US00D546663S

(12) **United States Design Patent**  
**Recknagel et al.**

(10) **Patent No.:** **US D546,663 S**

(45) **Date of Patent:** **\*\* Jul. 17, 2007**

(54) **RECEIVER PIN**

(75) Inventors: **Jim Recknagel**, Delafield, WI (US);  
**Ken Burmesch**, Port Washington, WI  
(US); **Chris Irgens**, Elm Grove, WI  
(US); **Rolf Hohmann**, Menomonee  
Falls, WI (US); **Mark Van Handel**,  
Madison, WI (US); **Gary Burmesch**,  
Port Washington, WI (US); **Victor Yip**,  
Chi Fu Fa Yuen (HK); **Kerry Jacques**,  
Wind Lake, WI (US); **John Zapushek**,  
Racine, WI (US)

1,566,473 A	12/1925	Gibson
2,224,522 A	12/1940	Peterson
2,541,638 A	2/1951	Clevett
2,677,261 A	5/1954	Jacobi
3,176,007 A	3/1965	Tuschhoff
3,197,239 A	7/1965	Jezek, Jr.
3,200,690 A *	8/1965	Dickman ..... 411/337
3,453,846 A	7/1969	Owen et al.
3,559,429 A	2/1971	Hermann
3,652,114 A	3/1972	Cady et al.
3,673,910 A	7/1972	Collister

(73) Assignee: **Master Lock Company LLC**, Oak  
Creek, WI (US)

(Continued)

(\*\*) Term: **14 Years**

*Primary Examiner*—Prabhakar Deshmukh  
(74) *Attorney, Agent, or Firm*—Calfee, Halter & Griswold,  
LLP

(21) Appl. No.: **29/251,785**

(57) **CLAIM**

(22) Filed: **Jan. 12, 2006**

The ornamental design for a receiver pin, as shown and  
described.

**Related U.S. Application Data**

(62) Division of application No. 29/193,055, filed on Nov.  
3, 2003, now Pat. No. Des. 524,144.

**DESCRIPTION**

(51) **LOC (8) Cl.** ..... **08-07**

(52) **U.S. Cl.** ..... **D8/339; D8/341; D8/331**

(58) **Field of Classification Search** ..... D8/330,  
D8/331, 339, 341, 343, 347, 338; 70/14,  
70/26, 39, 33, 34, 51, 52, 58, 91, 181, 208,  
70/232, 431, 378, 372, DIG. 23, DIG. 25;  
292/86, 42, 119, 156; 403/321, 324, 322.3,  
403/322.4; 411/337, 350, 340-345

FIG. 1 is a perspective view of a receiver pin showing our  
new design;

FIG. 2 is a top view of the design shown in FIG. 1;

FIG. 3 is a side view of the design shown in FIG. 1;

FIG. 4 is a bottom view of the design shown in FIG. 1;

FIG. 5 is a back view of the design shown in FIG. 1;

FIG. 6 is a side view of the design shown in FIG. 1; and,

FIG. 7 is a front view of the design shown in FIG. 1.

See application file for complete search history.


The broken line environmental is for illustrative purpose  
only and forms no part of the claimed design.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

325,221 A 8/1885 Wright

**1 Claim, 3 Drawing Sheets**



# US D546,663 S

U.S. PATENT DOCUMENTS				
		5,152,160 A	10/1992	Lentini
3,721,112 A	3/1973 Wellekens	5,197,314 A	3/1993	Stillwagon et al.
3,783,657 A	1/1974 Foote	5,216,903 A	6/1993	Chen
3,843,160 A	10/1974 Frushour et al.	5,269,161 A	12/1993	Stillwagon
3,854,371 A *	12/1974 Lamothe ..... 411/337	5,272,894 A	12/1993	Stillwagon et al.
3,861,267 A	1/1975 Collister	5,284,038 A	2/1994	Johnson
3,902,339 A	9/1975 Carley et al.	5,437,515 A	8/1995	Kuramoto
3,908,415 A	9/1975 Foote	5,447,045 A	9/1995	Cheng
3,911,761 A	10/1975 Cornellier	5,467,619 A	11/1995	Stillwagon et al.
3,963,264 A	6/1976 Down	5,507,611 A	4/1996	Collister
3,999,414 A	12/1976 Leitner	5,540,065 A	7/1996	Wyers
4,141,232 A	2/1979 Kelly	5,664,445 A	9/1997	Chang
4,198,026 A	4/1980 Capolupo	5,676,258 A	10/1997	Leyden et al.
D255,772 S	7/1980 Johnson et al.	5,682,775 A	11/1997	Baber
4,226,100 A	10/1980 Hampton et al.	5,794,465 A	8/1998	Hill
4,236,395 A	12/1980 Avaiusini	5,865,559 A	2/1999	Yang
4,277,961 A	7/1981 Williams	6,055,832 A	5/2000	Wyers
4,298,212 A	11/1981 Jamison	D428,795 S	8/2000	Wyers
4,438,642 A	3/1984 De Jong	6,145,866 A	11/2000	Peter
4,440,005 A	4/1984 Bulle	6,193,260 B1	2/2001	Homan et al.
4,576,021 A	3/1986 Holden	D439,827 S	4/2001	Wyers
D283,199 S	4/1986 Ostergren	D444,050 S	6/2001	Wyers
4,619,122 A	10/1986 Simpson	D447,043 S	8/2001	Wyers
4,637,234 A	1/1987 Mielonen	6,409,283 B1	6/2002	Hsieh
4,711,106 A	12/1987 Johnson	6,425,272 B1	7/2002	Chen
4,730,468 A	3/1988 Becker	D461,392 S	8/2002	Zapushek
4,732,019 A	3/1988 Tolar	6,575,000 B1	6/2003	Li
4,844,498 A	7/1989 Kerins et al.	6,672,115 B2	1/2004	Wyers
4,888,967 A	12/1989 Kuo	6,732,617 B2 *	5/2004	Steinweg et al. .... 81/423
4,964,285 A	10/1990 Lakoski et al.	6,792,836 B1 *	9/2004	Wang ..... 81/177.85
5,004,133 A	4/1991 Wyers	D501,131 S	1/2005	Oskamp et al.
5,022,243 A	6/1991 Embry et al.	D511,292 S	11/2005	Hohmann et al.
5,027,630 A	7/1991 Stillwagon et al.	7,001,126 B2 *	2/2006	Lesecq ..... 411/340
5,050,413 A	9/1991 Stillwagon et al.			
5,063,763 A	11/1991 Johnson			

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4

FIG. 5



FIG. 6




FIG. 7

