

US00D546708S

(12) **United States Design Patent** (10) **Patent No.:** **US D546,708 S**
Gaunce (45) **Date of Patent:** **** Jul. 17, 2007**

(54) **COMBINED PEN AND CLOCK UNIT**

(75) Inventor: **Jane Gaunce**, Shawnee, KS (US)

(73) Assignee: **Grapevine Designs**, Lenexa, KS (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/252,191**

(22) Filed: **Jan. 19, 2006**

(51) **LOC (8) Cl.** **10-01**

(52) **U.S. Cl.** **D10/2; D19/78**

(58) **Field of Classification Search** D10/1-29;
368/276-278, 285, 316, 317, 10, 41; D19/22,
D19/23, 77, 78, 83, 51, 75, 86, 92

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D58,415 S 7/1921 Zamsky et al.
D62,535 S 6/1923 Morris
D86,838 S * 4/1932 Hoffman D10/2
D97,342 S 10/1935 Van Bloem
D102,468 S 12/1936 McCoy
D113,519 S * 2/1939 Meyer D10/3
D147,742 S 10/1947 Bowers
D151,959 S * 12/1948 Bowers D10/53
D161,853 S 2/1951 Menning
D164,555 S 9/1951 Davis
D170,738 S * 11/1953 Alder D14/170
D170,880 S 11/1953 Marano
D170,881 S 11/1953 Marano
2,693,788 A 11/1954 Spatz
D176,366 S 12/1955 McFadyen
D188,446 S 7/1960 Weiss
D191,482 S 10/1961 Rubin
3,139,865 A 7/1964 Aimes
3,196,566 A 7/1965 Littlefield
D203,954 S 3/1966 Aro

D206,698 S 1/1967 Edwards
D224,552 S * 8/1972 Herbst D10/21
D228,020 S * 7/1973 Cuccio D10/53
3,845,614 A 11/1974 Christ
D249,351 S 9/1978 Mattera
D250,201 S 11/1978 Pierce
D255,695 S 7/1980 Yu
D264,821 S 6/1982 Henkels
D266,436 S 10/1982 Smith

(Continued)

FOREIGN PATENT DOCUMENTS

DE 4124020 C1 * 10/1992

Primary Examiner—Lucy Lieberman

(74) *Attorney, Agent, or Firm*—Polsinelli Shelton Flanigan
Suelthaus PC

(57) **CLAIM**

The ornamental design for a combined pen and clock unit,
as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the combined pen and clock
unit;

FIG. 2 is a front view of the combined pen and clock unit;

FIG. 3 is a rear view of the combined pen and clock unit;

FIG. 4 is a right-side view of the combined pen and clock
unit;


FIG. 5 is a left-side view of the combined pen and clock unit;

FIG. 6 is a bottom view of the combined pen and clock unit;
and,

FIG. 7 is a top view of the combined pen and clock unit.

The broken lines shown in FIGS. 1 and 2 are for illustrative
purposes only and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



U.S. PATENT DOCUMENTS							
D282,755	S	2/1986	Cohen	D379,435	S	5/1997	Hsu
D284,677	S	7/1986	Armijo	5,638,340	A	6/1997	Schiefele
4,643,604	A	2/1987	Enrico	D394,390	S	5/1998	Calello
D295,292	S	4/1988	Yuen	D394,814	S	6/1998	Chen
D298,762	S	11/1988	Holterscheidt	5,913,707	A	6/1999	Roman et al.
D298,953	S	12/1988	Roberts	6,116,982	A	9/2000	Roman et al.
4,938,728	A	7/1990	Callari	D454,156	S	3/2002	Man
D317,624	S	6/1991	Jurinjak	6,361,075	B1	3/2002	Ritter et al.
D327,092	S	6/1992	Evenson	D471,585	S	3/2003	Man
D327,500	S	6/1992	Breen et al.	D480,106	S	9/2003	Man
5,182,533	A	1/1993	Ritts	6,761,610	B2	7/2004	Fisher et al.
D333,158	S	2/1993	Peersmann	RE38,748	E	6/2005	Ritter et al.
D333,271	S *	2/1993	Erlichman D10/2	D508,953	S	8/2005	Lam
D337,613	S	7/1993	Peersmann	D510,954	S	10/2005	Bieger
D369,384	S *	4/1996	Yasoshima D19/36	D522,383	S *	6/2006	Bedol et al. D10/2
5,537,369	A *	7/1996	Wu 368/10	2003/0176144	A1	9/2003	Fisher et al.
				* cited by examiner			




FIG. 1




FIG.2




FIG.3




FIG.4




FIG.5




FIG. 6




FIG. 7