



US00D547161S

(12) **United States Design Patent**
Blomstrom et al.

(10) **Patent No.: US D547,161 S**

(45) **Date of Patent: ** Jul. 24, 2007**

(54) **LOCK**

(75) Inventors: **John Blomstrom**, Milwaukee, WI (US); **Glenn P. Meekma**, Menomonee Falls, WI (US)

(73) Assignee: **Master Lock Company LLC**, Oak Creek, WI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/245,252**

(22) Filed: **Dec. 21, 2005**

(51) **LOC (8) Cl.** **08-07**

(52) **U.S. Cl.** **D8/334**

(58) **Field of Classification Search** D8/330-348;
70/14, 20-22, 31, 35-38, 51-52, 91, 18,
70/24

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,016,455 A	2/1912	Stone
1,106,455 A	8/1914	Stone
D47,239 S	4/1915	Page
1,642,480 A	9/1927	Beard
D80,385 S	1/1930	Maxwell
D92,117 S	4/1934	Stone
D92,377 S	5/1934	Stone

(Continued)

OTHER PUBLICATIONS

Master Lock, Solid Brass Padlocks Product No. 6830 Description.
Master Lock web site.

(Continued)

Primary Examiner—Mitchell Siegel

(74) *Attorney, Agent, or Firm*—Calfee, Halter & Griswold, LLP

(57) **CLAIM**

The ornamental design for a lock, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a lock of the new design, showing a shackle and a cover in phantom lines;

FIG. 2 is a front view of the lock of FIG. 1;

FIG. 3 is a rear view of the lock of FIG. 1;

FIG. 4 is a right side view of the lock of FIG. 1;

FIG. 5 is a left side view of the lock of FIG. 1;

FIG. 6 is a top view of the lock of FIG. 1; and

FIG. 7 is a bottom view of the lock of FIG. 1.

FIG. 8 is a perspective view of another lock of the new design, showing a multi-sided shackle;

FIG. 9 is a front view of the lock of FIG. 8;

FIG. 10 is a rear view of the lock of FIG. 8;

FIG. 11 is a right side view of the lock of FIG. 8;

FIG. 12 is a left side view of the lock of FIG. 8;

FIG. 13 is a top view of the lock of FIG. 8;

FIG. 14 is a bottom view of the lock of FIG. 8;

FIG. 15 is a perspective view of yet another lock of the new design, showing a round shackle;

FIG. 16 is a front view of the lock of FIG. 15;

FIG. 17 is a rear view of the lock of FIG. 15;

FIG. 18 is a right side view of the lock of FIG. 15;


FIG. 19 is a left side view of the lock of FIG. 15;

FIG. 20 is a top view of the lock of FIG. 15; and

FIG. 21 is a bottom view of the lock of FIG. 15.

The portions of the Figures shown in phantom lines are not part of the claimed design, but are for illustration purposes only.

1 Claim, 6 Drawing Sheets



US D547,161 S

Page 2

U.S. PATENT DOCUMENTS

D137,028 S 1/1944 Papkin
D143,245 S 12/1945 Soref
D143,271 S 12/1945 Collura
2,904,985 A 9/1959 Murphy
D197,300 S 1/1964 Maffei
3,626,729 A 12/1971 Fane et al.
3,754,419 A 8/1973 Taylor
3,835,675 A 9/1974 Lippisch
3,882,699 A 5/1975 Flack et al.
D240,590 S 7/1976 Meisner
D241,306 S * 9/1976 Foote D8/334
4,111,014 A 9/1978 Epstein
4,224,813 A 9/1980 Hampton
4,226,100 A 10/1980 Hampton et al.
4,286,445 A 9/1981 Sills
4,317,344 A 3/1982 Barnard
4,689,975 A 9/1987 Dunphy et al.
D296,519 S 7/1988 Newman et al.
4,938,039 A 7/1990 Tzung-i
D314,908 S 2/1991 Pedersen
D315,090 S 3/1991 Pedersen
D316,955 S 5/1991 Goida et al.
5,033,279 A 7/1991 Lebrecht
5,156,029 A 10/1992 Heald
D335,813 S 5/1993 Appelbaum
D341,766 S 11/1993 Zacher et al.
D342,009 S 12/1993 Lebrecht et al.
D342,010 S 12/1993 Lebrecht et al.
D353,531 S 12/1994 Kahonen
5,664,445 A 9/1997 Chang
5,761,935 A 6/1998 Adelmeyer
D398,513 S 9/1998 Turner
D406,043 S 2/1999 LeClaire
D408,262 S * 4/1999 Liu D8/334
D411,435 S 6/1999 Matyko

D411,730 S 6/1999 Matyko
D423,324 S * 4/2000 Liu D8/334
D423,908 S 5/2000 Liu
6,055,832 A 5/2000 Wyers
D429,993 S 8/2000 Liu
D432,391 S 10/2000 Heppner
D449,509 S * 10/2001 Liu D8/334
D449,510 S * 10/2001 Liu D8/334
D454,293 S 3/2002 Bremicker
D461,699 S 8/2002 Lavikainen et al.
D470,390 S 2/2003 Ling
D470,743 S 2/2003 Koy
D484,391 S 12/2003 Hackbarth et al.
D484,776 S 1/2004 Ruan
D484,777 S 1/2004 Ruan
6,813,914 B2 11/2004 Chen
D515,908 S * 2/2006 Kearns et al. D8/334
D516,896 S 3/2006 Kearns et al.

OTHER PUBLICATIONS

Master Lock, Solid Brass Padlocks Product No. 6850 Description, Master Lock web site.
Master Lock, No. 2050 Padlock Product Description, Master Lock web site, 2003.
Master Lock, No. 911 Padlock Product Description, Mater Lock web site.
Master Lock, Weather Tough Padlocks No. 6121 Product Description, Master Lock web site.
Master Lock, No. 175 Padlocks Product Description, Master Lock web site, 2003.
Master Lock, No. 140 Padlocks Product Description, Master Lock web site.
Master Lock, No. 150 Padlocks Product Description, Master Lock web site.

* cited by examiner




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10




Figure 11




Figure 12




Figure 13




Figure 14




Figure 15




Figure 16




Figure 17




Figure 18




Figure 19




Figure 20




Figure 21

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 547,161 S
APPLICATION NO. : 29/245252
DATED : July 24, 2007
INVENTOR(S) : John Blomstrom and Glenn P. Meekma

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Drawings

Please delete current Figs. 8-21. Add these attached formal drawing Figures 1-7 is figures 1-7 that is illustrated.

Signed and Sealed this

Tenth Day of March, 2009



JOHN DOLL
Acting Director of the United States Patent and Trademark Office




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 547,161 S
APPLICATION NO. : 29/245252
DATED : July 24, 2007
INVENTOR(S) : John Blomstrom and Glenn P. Meekma

Page 1 of 4

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Delete the title page and substitute therefor the attached title page.

Drawings

Please delete current Figs. 8-21. Add these attached formal drawing Figures 1-7 is figures 1-7 that is illustrated.

This certificate supersedes the Certificate of Correction issued March 10, 2009.

Signed and Sealed this

Thirty-first Day of March, 2009



JOHN DOLL
Acting Director of the United States Patent and Trademark Office

(12) **United States Design Patent** (10) **Patent No.:** **US D547,161 S**
Blomstrom et al. (45) **Date of Patent:** **** Jul. 24, 2007**

(54) **LOCK**

(57) **CLAIM**

(75) **Inventors:** **John Blomstrom**, Milwaukee, WI (US); **Glenn P. Meekma**, Menomonee Falls, WI (US)

The ornamental design for a lock, as shown and described.

(73) **Assignee:** **Master Lock Company LLC**, Oak Creek, WI (US)

DESCRIPTION

(**) **Term:** **14 Years**

FIG. 1 is a perspective view of a lock of the new design, showing a shackle and a cover in phantom lines;

(21) **Appl. No.:** **29/245,252**

FIG. 2 is a front view of the lock of FIG. 1;

(22) **Filed:** **Dec. 21, 2005**

FIG. 3 is a rear view of the lock of FIG. 1;

(51) **LOC (8) Cl.** **08-07**

(52) **U.S. Cl.** **D8/334**

(58) **Field of Classification Search** **D8/330-348;**
70/14, 20-22, 31, 35-38, 51-52, 91, 18,
70/24

FIG. 4 is a right side view of the lock of FIG. 1;

FIG. 5 is a left side view of the lock of FIG. 1;

FIG. 6 is a top view of the lock of FIG. 1; and

FIG. 7 is a bottom view of the lock of FIG. 1.

The portions of the Figures shown in phantom lines are not part of the claimed design, but are for illustration purposes only.

See application file for complete search history.

(56) **References Cited**

1 Claim, 2 Drawing Sheets

U.S. PATENT DOCUMENTS

- 1,016,455 A 2/1912 Stone
- 1,106,455 A 8/1914 Stone
- D47,239 S 4/1915 Page
- 1,642,480 A 9/1927 Beard
- D80,385 S 1/1930 Maxwell
- D92,117 S 4/1934 Stone
- D92,377 S 5/1934 Stone

(Continued)


OTHER PUBLICATIONS

Master Lock, Solid Brass Padlocks Product No. 6830 Description.
 Master Lock web site.

(Continued)

Primary Examiner—Mitchell Siegel

(74) *Attorney, Agent, or Firm*—Calfee, Halter & Griswold, LLP






Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7