

US00D547230S

(12) **United States Design Patent**  
**Unterbrunner et al.**

(10) **Patent No.:** **US D547,230 S**  
(45) **Date of Patent:** **\*\* Jul. 24, 2007**

(54) **GEMSTONES, ORNAMENTAL OBJECTS**  
**MADE OF GLASS**

(75) Inventors: **Hubert Unterbrunner**, Weerberg (AT);  
**Michael Winter**, Schwaz (AT);  
**Christiane Kreidl**, Pill/Schwaz (AT)

(73) Assignee: **Swarovski Aktiengesellschaft**, Triesen  
(LI)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/252,082**

(22) Filed: **Jan. 19, 2006**

(30) **Foreign Application Priority Data**

Jul. 22, 2005	(EM)	.....	376405-13
Jul. 22, 2005	(EM)	.....	376405-14
Jul. 22, 2005	(EM)	.....	376405-15
Jul. 22, 2005	(EM)	.....	376405-16
Jul. 22, 2005	(EM)	.....	376405-17
Jul. 22, 2005	(EM)	.....	376405-18
Jul. 22, 2005	(EM)	.....	376405-19
Jul. 22, 2005	(EM)	.....	376405-20
Jul. 22, 2005	(EM)	.....	376405-21
Jul. 22, 2005	(EM)	.....	376405-24
Jul. 22, 2005	(EM)	.....	376405-25
Jul. 22, 2005	(EM)	.....	376405-27
Jul. 22, 2005	(EM)	.....	376405-34
Jul. 22, 2005	(EM)	.....	376405-35
Jul. 22, 2005	(EM)	.....	376405-38

(51) **LOC (8) Cl.** ..... **11-02**

(52) **U.S. Cl.** ..... **D11/90**

(58) **Field of Classification Search** ..... D11/1-2,  
D11/26-29, 89-92; 63/26-28, 32  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D442,114 S *	5/2001	Greeff	.....	D11/90
D442,512 S *	5/2001	Tolkowsky	.....	D11/90
D446,152 S *	8/2001	Kejajian	.....	D11/90

D494,497 S *	8/2004	Lax	.....	D11/90
D499,353 S *	12/2004	Lax	.....	D11/90
D503,651 S *	4/2005	Kejajian	.....	D11/90
D507,505 S *	7/2005	Ambar	.....	D11/90
D511,474 S *	11/2005	Voorn	.....	D11/90
D514,471 S *	2/2006	Sung et al.	.....	D11/90
D522,401 S *	6/2006	Rydlewicz	.....	D11/90
D522,909 S *	6/2006	Ambar	.....	D11/90
D524,687 S *	7/2006	Moller et al.	.....	D11/90

\* cited by examiner

*Primary Examiner*—Ralf Seifert

(74) *Attorney, Agent, or Firm*—Wenderoth, Lind & Ponack,  
L.L.P.

(57) **CLAIM**

The ornamental design for gemstones, ornamental objects made of glass, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a first embodiment of a gemstone, ornamental object made of glass according to the present invention;

FIG. 2 is a rear view of the first embodiment;

FIG. 3 is a right side view of the first embodiment;

FIG. 4 is a top view of the first embodiment;

FIG. 5 is a left side view of the first embodiment;

FIG. 6 is a perspective view of the first embodiment;

FIG. 7 is a bottom view of the first embodiment;

FIG. 8 is a front view of a second embodiment of a gemstone, ornamental object made of glass according to the present invention;

FIG. 9 is a bottom view of the second embodiment;

FIG. 10 is a right side view of the second embodiment;

FIG. 11 is a top view of the second embodiment;

FIG. 12 is a left side view of the second embodiment;

FIG. 13 is a perspective view of the second embodiment;

FIG. 14 is a rear view of the second embodiment;




FIG. 15 is a front view of a third embodiment of a gemstone, ornamental object made of glass according to the present invention;

FIG. 16 is a rear view of the third embodiment;

FIG. 17 is a right side view of the third embodiment;

FIG. 18 is a top view of the third embodiment;

FIG. 19 is a left side view of the third embodiment;

FIG. 20 is a perspective view of the third embodiment;

FIG. 21 is a bottom view of the third embodiment;

FIG. 22 is a front view of a fourth embodiment of a gemstone, ornamental object made of glass according to the present invention;

FIG. 23 is a rear view of the fourth embodiment;

FIG. 24 is a right side view of the fourth embodiment;

FIG. 25 is a top view of the fourth embodiment;

FIG. 26 is a left side view of the fourth embodiment;

FIG. 27 is a perspective view of the fourth embodiment;

FIG. 28 is a bottom view of the fourth embodiment;

FIG. 29 is a front view of a fifth embodiment of a gemstone, ornamental object made of glass according to the present invention;

FIG. 30 is a rear view of the fifth embodiment;

FIG. 31 is a right side view of the fifth embodiment;

FIG. 32 is a top view of the fifth embodiment;

FIG. 33 is a left side view of the fifth embodiment;

FIG. 34 is a perspective view of the fifth embodiment; and,

FIG. 35 is a bottom view of the fifth embodiment.

In all of the above embodiments, both the left and right side views are turned 90 degrees so that a vertical axis of the front view is horizontal in the left and right side views, and the rear views are inverted. The perspective views are taken at an angle from the top view.

**1 Claim, 5 Drawing Sheets**




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27




Fig. 28




Fig. 29




Fig. 30




Fig. 31




Fig. 32




Fig. 33




Fig. 34




Fig. 35