

US00D547446S

(12) **United States Design Patent**  
**Racz et al.**

(10) **Patent No.:** **US D547,446 S**

(45) **Date of Patent:** **\*\* Jul. 24, 2007**

(54) **CATHETER CONNECTOR**

(75) Inventors: **N. Sandor Racz**, Irving, TX (US);  
**Gary Bullard**, Saratoga Springs, NY  
(US)

(73) Assignee: **Custom Medical Applications, Inc.**,  
Johnstown, NY (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/224,810**

(22) Filed: **Mar. 7, 2005**

(51) **LOC (8) Cl.** ..... **24-02**

(52) **U.S. Cl.** ..... **D24/129**

(58) **Field of Classification Search** ..... D24/105,  
D24/108-109, 110.1, 112, 129-130; D26/2;  
128/879, 912; 137/565.12; 604/164.11,  
604/167.07, 533, 536, 905, 912  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,920,215	A	11/1975	Knauf	
D243,412	S *	2/1977	Krueger et al.	D24/164
4,327,723	A	5/1982	Frankhouser	
4,378,013	A	3/1983	LeFevre	
4,517,971	A *	5/1985	Sorbonne	128/879
4,613,329	A	9/1986	Bodicky	
4,834,719	A	5/1989	Arenas	
4,895,570	A	1/1990	Larkin	
4,929,236	A	5/1990	Sampson	
D323,713	S *	2/1992	Arioka et al.	D24/165
5,116,324	A *	5/1992	Brierley et al.	604/180
5,127,626	A	7/1992	Hilal et al.	
5,279,597	A	1/1994	Dassa et al.	
5,505,714	A	4/1996	Dassa et al.	
5,507,733	A	4/1996	Larkin et al.	
D408,530	S	4/1999	Eliassen et al.	
5,993,437	A	11/1999	Roaz	
D422,697	S *	4/2000	Bellhouse et al.	D24/112
6,099,519	A	8/2000	Olsen et al.	

6,123,690	A *	9/2000	Mejslov	604/533
D433,503	S	11/2000	Powers et al.	
6,190,372	B1	2/2001	Racz	
6,254,589	B1	7/2001	Roaz	

(Continued)

*Primary Examiner*—Louis S. Zarfes

*Assistant Examiner*—Eric L. Goodman

(74) *Attorney, Agent, or Firm*—TraskBritt

(57) **CLAIM**

The ornamental design for a catheter connector, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a catheter connector showing my new design in situ;

FIG. 2 is another perspective view of the catheter connector shown in FIG. 1;

FIG. 3 is a front elevation view of the catheter connector shown in FIG. 1;

FIG. 4 is a rear elevation view of the catheter connector shown in FIG. 1;

FIG. 5 is a right elevation view of the catheter connector shown in FIG. 1;

FIG. 6 is a left elevation view of the catheter connector shown in FIG. 1;



FIG. 7 is a top plan view of the catheter connector shown in FIG. 1

FIG. 8 is a bottom plan view of the catheter connector shown in FIG. 1; and,

FIG. 9 is a modified perspective view showing the of the catheter connector shown in FIG. 1 in an opened position.

The broken line showing of the back, arms, tubes, and bandage in FIG. 1 and broken line showing of the latching system in FIGS. 1, 2, 3, 4, 5, 6, and 9 are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**



# US D547,446 S

Page 2

---

## U.S. PATENT DOCUMENTS

6,254,671 B1 *	7/2001	Hays .....	137/565.12	D486,225 S *	2/2004	Gay, III .....	D24/109
6,332,874 B1	12/2001	Eliassen et al.		D496,098 S *	9/2004	Guney et al. ....	D24/110.1
D483,869 S *	12/2003	Tran et al. ....	D24/129	2001/0053889 A1 *	12/2001	Marggi et al. ....	604/164.11
D485,379 S *	1/2004	Stekelenburg .....	D26/2	2002/0173748 A1 *	11/2002	McConnell et al. ...	604/167.02

\* cited by examiner







FIG. 1




**FIG. 2**




**FIG. 3**



**FIG. 4**




**FIG. 5**




**FIG. 6**






**FIG. 7**



**FIG. 8**



**FIG. 9**

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : Des. 547,446 S  
APPLICATION NO. : 29/224810  
DATED : July 24, 2007  
INVENTOR(S) : N. Sandor Racz and Gary Bullard

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**On the title page:**

In ITEM (56) **References Cited**  
U.S. PATENT DOCUMENTS

1<sup>st</sup> column, 17<sup>th</sup> entry,

2<sup>nd</sup> column, 4<sup>th</sup> entry,

before the first entry "3,920,215 A 11/1975  
Knauf" insert --3,254,671 A \* 6/1966  
Berliner ...137/565.12--  
change "5,993,437 A 11/1999 Roaz" to  
--5,993,437 A 11/1999 Racz--  
change "6,254,589 B1 7/2001 Roaz" to --  
6,254,589 B1 7/2001 Racz--

In DESCRIPTION


2<sup>nd</sup> column, 3<sup>rd</sup> line,

2<sup>nd</sup> column, 17<sup>th</sup> line,

change "my new design in situ;" to --our new  
design in situ;--  
change "FIG. 9 is a modified perspective view  
showing the of the" to --FIG. 9 is a modified  
perspective view showing the--

Signed and Sealed this

Sixth Day of May, 2008



JON W. DUDAS

*Director of the United States Patent and Trademark Office*