



US00D547636S

(12) **United States Design Patent** (10) **Patent No.:** **US D547,636 S**  
**Bartrom** (45) **Date of Patent:** **\*\* Jul. 31, 2007**

(54) **SWITCH PLATE WITH DIAMOND PLATE SURFACE**

(76) Inventor: **Michael A Bartrom**, 2151 E. 375 North, Marion, IN (US) 46952

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/240,189**

(22) Filed: **Oct. 11, 2005**

(51) **LOC (8) Cl.** ..... **11-05**

(52) **U.S. Cl.** ..... **D8/351**

(58) **Field of Classification Search** ..... D8/350-353;  
D10/123, 108, 125; D13/169, 171, 156,  
D13/174, 158, 162, 177, 184; 200/304, 330;  
40/729, 732; 250/462; 174/66, 67  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D60,383 S \* 2/1922 Steeple ..... D8/353

(Continued)

*Primary Examiner*—Mitchell Siegel

*Assistant Examiner*—Mark Goodwin

(74) *Attorney, Agent, or Firm*—Keith Swedo; Sommer Barnard PC

(57) **CLAIM**

The ornamental design for a switch plate with diamond plate surface, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a first embodiment of a switch plate with diamond plate surface according to the present invention;

FIG. 2 is a front view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a right view thereof;

FIG. 5 is a top view thereof;

FIG. 6 is a bottom view thereof;

FIG. 7 is a rear view thereof;

FIG. 8 is a left side cross-sectional view thereof, taken along line 8—8 of FIG. 2;

FIG. 9 is a front perspective view of a second embodiment of a switch plate with diamond plate surface according to the present invention;

FIG. 10 is a front view thereof;

FIG. 11 is a left side view thereof;

FIG. 12 is a right view thereof;

FIG. 13 is a top view thereof;

FIG. 14 is a bottom view thereof;

FIG. 15 is a rear view thereof;

FIG. 16 is a left side cross-sectional view thereof, taken along line 16—16 of FIG. 10;

FIG. 17 is a front perspective view of a third embodiment of a switch plate with diamond plate surface according to the present invention;

FIG. 18 is a front view thereof;

FIG. 19 is a left side view thereof;

FIG. 20 is a right view thereof;


FIG. 21 is a top view thereof;

FIG. 22 is a bottom view thereof;

FIG. 23 is a rear view thereof; and,

FIG. 24 is a left side cross-sectional view thereof, taken along line 24—24 of FIG. 18.

**1 Claim, 18 Drawing Sheets**



# US D547,636 S

Page 2

---

## U.S. PATENT DOCUMENTS

D79,926 S *	11/1929	Grier .....	D8/353	D505,855 S *	6/2005	Millward et al. ....	D8/350
D243,653 S *	3/1977	Fine .....	D8/353	D509,127 S *	9/2005	Millward et al. ....	D8/350
D396,401 S *	7/1998	Christie .....	D8/353	D510,013 S *	9/2005	Roychowdhury .....	D8/353
D456,533 S *	4/2002	Moller, Jr. ....	D25/163	D511,959 S *	11/2005	Roychowdhury .....	D8/351
D465,144 S *	11/2002	Lai .....	D8/353	2002/0018908 A1 *	2/2002	Smith et al. ....	428/600
D471,368 S *	3/2003	Arnold et al. ....	D6/349	2003/0230912 A1 *	12/2003	Arnold et al. ....	297/158.3
D471,377 S *	3/2003	Gledhill et al. ....	D6/432	2004/0074856 A1 *	4/2004	Gros .....	211/59.1
D484,392 S *	12/2003	Mayo et al. ....	D8/353	2005/0145707 A1 *	7/2005	Leni .....	238/14
D502,861 S *	3/2005	Fields .....	D8/353				

\* cited by examiner




Fig. 1




Fig. 2





Fig. 3



Fig. 4



Fig. 5



Fig. 6




Fig. 7



Fig. 8






Fig. 9




Fig. 10






Fig. 11



Fig 12




Fig. 13




Fig. 14




Fig. 15



Fig. 16




Fig. 17




Fig. 18








Fig. 19



Fig. 20



Fig. 21



Fig. 22




Fig. 23



Fig. 24