

US00D547872S

(12) **United States Design Patent** (10) **Patent No.:** **US D547,872 S**  
**Davis** (45) **Date of Patent:** **\*\* Jul. 31, 2007**

(54) **TIP FOR A CRUTCH** 2,590,607 A 3/1952 Grimball ..... 135/50  
2,630,128 A 3/1953 Slater ..... 135/73  
(75) Inventor: **Richard C. Davis**, El Dorado Hills, CA 2,675,014 A 4/1954 Powers ..... 135/82  
(US) 2,690,188 A 9/1954 Goddard ..... 135/51

(73) Assignee: **NexStep Mobility, LLC**, Dorado Hills, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/215,821**

(22) Filed: **Oct. 26, 2004**

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 29/215,762, filed on Oct. 25, 2004.

(51) **LOC (8) Cl.** ..... **24-04**

(52) **U.S. Cl.** ..... **D24/188; D3/17**

(58) **Field of Classification Search** ..... D3/7-9,  
D3/10, 17; D24/188; 135/66-69, 71-73,  
135/75-77

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

332,684 A	12/1885	Tuttle .....	135/77
624,207 A	5/1899	Hawley .....	135/84
869,128 A	10/1907	Autenrieth	
1,336,844 A	4/1920	Klousnitzer .....	135/82
1,406,453 A	2/1922	Fanning	
1,429,429 A	9/1922	Hipwood	
1,652,110 A	12/1927	Fullington .....	135/69
1,753,065 A	4/1930	Payne .....	135/82
1,817,829 A	8/1931	Lanning .....	135/82
2,192,040 A	2/1940	Harris .....	135/54
2,362,642 A	11/1944	Lamb .....	135/73
2,397,499 A	4/1946	McGowan .....	135/82
2,414,758 A	1/1947	Moss .....	135/82
2,417,171 A	3/1947	McGowan .....	135/73
2,429,409 A	10/1947	Eidman .....	135/72

(Continued)

**FOREIGN PATENT DOCUMENTS**

WO WO95/13783 5/1995

(Continued)

**OTHER PUBLICATIONS**

Deathe, A, Hayes, K, Winter, D. The biomechanics of canes, crutches, and walkers. Crit Rev Phys Rehabil Med. 1993. 5, 15-29.

(Continued)

*Primary Examiner*—Louis S. Zarfes

*Assistant Examiner*—Anhdao Doan

(74) *Attorney, Agent, or Firm*—Morgan, Lewis & Bockius LLP

(57) **CLAIM**

The ornamental design for a tip for a crutch, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of a tip for a crutch in accordance with my new design;

FIG. 2 is a bottom perspective view thereof;


FIG. 3 is a top view thereof;

FIG. 4 is a side view thereof, the other sides being identical to the side shown; and,

FIG. 5 is a bottom view thereof.

The broken lines immediately adjacent the shaded areas represent the bounds of the claim, and all other broken lines are for illustrative purposes only. None of the broken lines form a part of the claimed design.

**1 Claim, 2 Drawing Sheets**



# US D547,872 S

Page 2

## U.S. PATENT DOCUMENTS

2,736,330 A 2/1956 Wood ..... 135/73  
2,788,793 A 4/1957 Abbott ..... 135/73  
2,888,022 A 5/1959 Fanning ..... 135/82  
2,910,995 A 11/1959 Jacuzzi ..... 135/77  
3,150,672 A 9/1964 Johnson, Jr. .... 135/73  
3,304,946 A 2/1967 Lutes ..... 135/73  
3,335,735 A 8/1967 Colegrove et al. .... 135/50  
3,537,463 A 11/1970 Smith ..... 135/69  
3,768,495 A 10/1973 Smith ..... 135/51  
4,135,536 A 1/1979 Willis ..... 135/84  
4,630,626 A \* 12/1986 Urban ..... 135/84  
4,637,414 A 1/1987 Urban ..... 135/73  
D289,859 S \* 5/1987 Johnson et al. .... D3/17  
4,809,725 A 3/1989 Champigny ..... 135/75  
4,838,291 A 6/1989 DiVito ..... 135/68  
4,899,771 A 2/1990 Wilkinson ..... 135/77  
5,103,850 A 4/1992 Davis ..... 135/68  
5,139,040 A 8/1992 Kelly ..... 135/69  
5,301,703 A 4/1994 Kahn ..... 135/77  
5,339,850 A 8/1994 Mertz ..... 135/72  
5,353,825 A 10/1994 Davis ..... 135/68  
5,409,029 A 4/1995 Davis ..... 135/68  
5,411,045 A 5/1995 Davis ..... 135/68  
5,417,234 A 5/1995 Davis ..... 135/68  
D362,336 S \* 9/1995 Weaver ..... D3/17  
5,458,145 A 10/1995 Davis ..... 135/68  
5,465,745 A 11/1995 Davis ..... 135/68  
5,560,382 A 10/1996 Wagner ..... 135/73  
5,673,719 A 10/1997 Shofner ..... 135/68  
5,711,335 A \* 1/1998 Carpinella ..... 135/77  
5,725,005 A 3/1998 Yamasaki et al. .... 135/73  
5,810,038 A \* 9/1998 Carpinella ..... 135/77  
5,829,463 A 11/1998 Galan ..... 135/68

D417,070 S \* 11/1999 Wyler ..... D3/17  
6,055,998 A 5/2000 Bader ..... 135/69  
6,138,699 A \* 10/2000 Su ..... 135/82  
D511,889 S \* 11/2005 Cockrell ..... D3/17  
D518,948 S \* 4/2006 Calkins et al. .... D3/10  
2002/0129845 A1 9/2002 Silverstein ..... 135/71  
2003/0079767 A1 5/2003 Schultz ..... 135/69  
2004/0011393 A1 1/2004 Whitworth ..... 135/69

## FOREIGN PATENT DOCUMENTS


WO WO2006/047413 5/2006

## OTHER PUBLICATIONS


Dreyfuss, Henry & Associates. The Measure of Man and Woman: Human Factors in Design. New York: Whitney Library of Design, 1993.  
Epstein, S. Art, history, and the crutch. Ann. Medical History. 1937; 9: 304-313.  
Fisher, S. & Patterson, R. Energy cost of ambulation with crutches. Archives of Physical Medicine & Rehabilitation, Jun. 1981; 62:6: 250-6.  
Joint problems: a real pain. Paraplegia News. 1995. 49(7), 37-42.  
Malkan, D. Bilateral ulnar neuropraxia: a complication of elbow crutches. Injury. 1992. 23, 426.  
Military Specification, MIL-C-16671B, Jul. 16, 1992, pp. 1-64.  
Rovick, J., & Childress, D. Pendular model of paraplegic swing-through crutch ambulation. VA Journal of Rehabilitation Research and Development, Fall 1998. 25: 4. 1-16.  
Waring, W & Werner, R. Clinical management of carpal tunnel syndrome in patients with long-term sequelae of poliomyelitis. J Hand Surg. 1989. 14A, 865-869.

\* cited by examiner


**FIG. 1**




**FIG. 2**



**FIG. 3**



**FIG. 4**



**FIG. 5**

