

US00D548008S

(12) **United States Design Patent** (10) **Patent No.:** **US D548,008 S**  
**Lin** (45) **Date of Patent:** **\*\* Aug. 7, 2007**

(54) **MUG**  
(75) Inventor: **Yvonne Lin**, New York, NY (US)  
(73) Assignee: **Punch Products USA, Inc.**, Rahway, NJ (US)  
(\*\*) Term: **14 Years**  
(21) Appl. No.: **29/239,976**  
(22) Filed: **Oct. 6, 2005**

D476,193 S \* 6/2003 Janky ..... D7/510  
D478,779 S \* 8/2003 Stamper et al. .... D7/510  
D479,949 S \* 9/2003 Janky ..... D7/511  
D480,268 S \* 10/2003 Laib ..... D7/510  
D488,672 S \* 4/2004 Oas ..... D7/507  
D495,186 S \* 8/2004 Poupel et al. .... D7/300.1  
D505,831 S \* 6/2005 Liu ..... D7/510  
D510,678 S \* 10/2005 Krasne et al. .... D7/376  
D529,761 S \* 10/2006 Trombly ..... D7/509  
D533,402 S \* 12/2006 Bin ..... D7/510

\* cited by examiner

*Primary Examiner*—T. Chase Nelson  
*Assistant Examiner*—Karen Acker  
(74) *Attorney, Agent, or Firm*—Baker Botts L.L.P.

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 11/053,114, filed on Feb. 7, 2005.

(51) **LOC (8) Cl.** ..... **07-01**  
(52) **U.S. Cl.** ..... **D7/511; D7/510**  
(58) **Field of Classification Search** ..... 220/710.5, 220/711, 713, 715, 719, 739, 62.12, 592.17, 220/669, 696, 710; D7/392–394, 509–511, D7/523, 531–533, 536, 605, 608, 619.1, 622, D7/624.2; 215/382, 384, 386–388, 392, 215/394, 396, 398, DIG. 7  
See application file for complete search history.

(57) **CLAIM**

The ornamental design for a mug, as shown and described.

**DESCRIPTION**


FIG. 1 is a front view of a first embodiment of a mug showing my new design;  
FIG. 2 is a rear view of the embodiment of FIG. 1;  
FIG. 3 is a left side view of the embodiment of FIG. 1, the right side view being the mirror image thereof;  
FIG. 4 is a top view of the embodiment of FIG. 1;  
FIG. 5 is a bottom view of the embodiment of FIG. 1;  
FIG. 6 is a front view of a second embodiment of a mug showing my new design;  
FIG. 7 is a rear view of the embodiment of FIG. 6;  
FIG. 8 is a left side view of the embodiment of FIG. 6, the right side being the mirror image thereof;  
FIG. 9 is a top view of the embodiment of FIG. 6; and,  
FIG. 10 is a bottom view of the embodiment of FIG. 6.  
The broken lines are provided for illustrative purposes only and form no part of the claimed design.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D47,759 S \* 8/1915 Pick ..... D7/523  
D47,800 S \* 9/1915 Pick ..... D7/523  
D92,629 S \* 6/1934 Solomon ..... D7/300.1  
2,036,707 A \* 4/1936 Godfrey ..... 220/568  
2,899,098 A \* 8/1959 Gits ..... 220/592.17  
3,338,467 A \* 8/1967 Albert ..... 220/714  
3,967,748 A \* 7/1976 Albert ..... 220/715  
D371,048 S \* 6/1996 Green ..... D7/510  
5,938,053 A \* 8/1999 Verbovszky et al. .... 215/6  
D417,589 S \* 12/1999 Parker ..... D7/510  
D458,082 S \* 6/2002 Gluck ..... D7/510  
D467,122 S \* 12/2002 Janky ..... D7/510  
D472,101 S \* 3/2003 Janky ..... D7/532

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10