

US00D548045S

(12) **United States Design Patent** (10) **Patent No.:** **US D548,045 S**
Heppner (45) **Date of Patent:** **** Aug. 7, 2007**

(54) **LOCK SHACKLE**

(75) Inventor: **John Heppner**, Kenosha, WI (US)

(73) Assignee: **Master Lock Company LLC**, Oak Creek, WI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/224,525**

(22) Filed: **Mar. 3, 2005**

(51) **LOC (8) Cl.** **08-07**

(52) **U.S. Cl.** **D8/343**

(58) **Field of Classification Search** D8/330-348;
70/20-26, 36 R, 38 A, 38 C, 51, 53, 431,
70/435, 18, 370

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

526,740 A	10/1894	Rapaport	
661,586 A	11/1900	Staff	
666,231 A	1/1901	Lawson	
767,004 A	8/1904	Muchowicz	
1,018,455 A	2/1912	Stone	
1,455,770 A	5/1923	Anderson	
1,629,388 A	5/1927	Jackson	
1,777,424 A	10/1930	Atkins	
3,395,555 A	8/1968	Hickman	
D212,170 S	9/1968	Owen et al.	
3,626,729 A *	12/1971	Fane et al.	70/18
3,830,065 A	8/1974	Gertach	
5,253,496 A	10/1993	Wang	
5,372,019 A	12/1994	Hsiao	
D360,125 S	7/1995	Taylor	
D392,540 S	3/1998	McDaid	
5,727,405 A	3/1998	Cromwell	
D408,261 S	4/1999	Gregory	
D433,310 S	11/2000	Luquire	
D433,311 S	11/2000	Luquire	
D454,486 S	3/2002	Striebel	

D484,777 S	1/2004	Ruan	
D486,721 S *	2/2004	Ling	D8/334
D491,044 S *	6/2004	Vito	D8/343
D520,339 S	5/2006	Heppner	
D524,145 S *	7/2006	Heppner	D8/343
D528,401 S *	9/2006	Ruan	D8/343
D528,402 S *	9/2006	Ruan	D8/343
D529,368 S *	10/2006	Ruan	D8/343
D529,369 S *	10/2006	Ruan	D8/343
D529,786 S *	10/2006	Heppner	D8/343
D533,764 S *	12/2006	Heppner	D8/343

OTHER PUBLICATIONS

New Zealand Search Report, Application No. 408162, dated Oct. 5, 2006, pp. 2.

RCD information on OHIM 00007244-0002, dated Nov. 30, 2006, <http://oamieuropaeu/RDCOnline/Request Manager>, pp. 4.

* cited by examiner

Primary Examiner—Mitchell Siegel

(74) *Attorney, Agent, or Firm*—Calfee, Halter & Griswold, LLP

(57) **CLAIM**

The ornamental design for a lock shackle, as shown and described.


DESCRIPTION

FIG. 1 is a top view of a lock shackle of the present design; FIG. 2 is a front view of the lock shackle shown in FIG. 1; FIG. 3 is a bottom view of the lock shackle shown in FIG. 1;

FIG. 4 is a side view of the lock shackle shown in FIG. 1; FIG. 5 is a side view of the lock shackle shown in FIG. 1; FIG. 6 is a perspective view of the lock shackle shown in FIG. 1; and,

FIG. 7 is a perspective view of the lock shackle shown in FIG. 1.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 4




FIG. 2



FIG. 5




FIG. 3




FIG. 6




FIG. 7