



US00D548129S

(12) **United States Design Patent** (10) **Patent No.:** **US D548,129 S**  
**Fineide** (45) **Date of Patent:** **\*\* Aug. 7, 2007**

(54) **FLEXIBLE BAND**

(57) **CLAIM**

(76) Inventor: **Karen G. Fineide**, P.O. Box 386,  
Mercer Island, WA (US) 98040

The ornamental design for a flexible band, as shown and described.

(\*\*) Term: **14 Years**

**DESCRIPTION**

(21) Appl. No.: **29/226,670**

(22) Filed: **Mar. 30, 2005**

(51) **LOC (8) Cl.** ..... **11-01**

(52) **U.S. Cl.** ..... **D11/5**

(58) **Field of Classification Search** ..... D11/1-25,  
D11/32, 93, 94; 59/78, 79.2; 63/1.11, 3,  
63/3.1, 3.2, 5.1, 5.2, 7-11; D10/32

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,782,194	A *	11/1930	Carter	.....	24/17	R
3,631,616	A *	1/1972	Hill	.....	40/633	
3,841,648	A *	10/1974	Meyer	.....	280/814	
3,889,411	A *	6/1975	Laugherty et al.	.....	40/633	
4,341,331	A *	7/1982	McDougall	.....	224/219	
4,815,172	A *	3/1989	Ward	.....	24/16	R
4,893,381	A *	1/1990	Frankel	.....	24/16	R
4,918,758	A *	4/1990	Rendina	.....	2/171	
4,939,818	A *	7/1990	Hahn	.....	24/16	R
4,991,234	A *	2/1991	Greenberg	.....	2/170	
D317,730	S *	6/1991	Mo	.....	D11/5	
5,142,743	A *	9/1992	Hahn	.....	24/16	R
5,820,000	A *	10/1998	Timberlake et al.	.....	224/219	
D414,027	S *	9/1999	Andrews	.....	D2/978	
6,079,135	A *	6/2000	Ruiz	.....	40/316	
D441,652	S *	5/2001	Valentine, Jr.	.....	D9/434	
D453,366	S *	2/2002	French	.....	D21/774	
6,701,532	B1 *	3/2004	Glassberg et al.	.....	2/170	
D520,565	S *	5/2006	Gonzales	.....	D19/89	

\* cited by examiner

*Primary Examiner*—Doris Clark

*Assistant Examiner*—Michael Pratt

(74) *Attorney, Agent, or Firm*—Robert M. Storwick

FIG. 1 is a first perspective view showing my new design in an unfastened configuration;

FIG. 2 is a top view of my new design in the unfastened configuration;

FIG. 3 is a bottom view of my new design in the unfastened configuration;

FIG. 4 is a front view of my new design in the unfastened configuration;

FIG. 5 is a back view of my new design in the unfastened configuration;

FIG. 6 is a left view of my new design in the unfastened configuration;

FIG. 7 is a right view of my new design in the unfastened configuration;

FIG. 8 is a second perspective view showing my new design in a fastened configuration;

FIG. 9 is a top view of my new design in the fastened configuration;

FIG. 10 is a bottom view of my new design in the fastened configuration;


FIG. 11 is a front view of my new design in the fastened configuration;

FIG. 12 is a back view of my new design in the fastened configuration;

FIG. 13 is a left view of my new design in the fastened configuration; and,

FIG. 14 is a right view of my new design in the fastened configuration.

**1 Claim, 6 Drawing Sheets**






FIG. 1

FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7



FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 13




FIG. 12




FIG. 14

