

US00D548307S

(12) **United States Design Patent** (10) **Patent No.:** **US D548,307 S**
Reynolds et al. (45) **Date of Patent:** **** Aug. 7, 2007**

(54) **FILTER ELEMENT**

(75) Inventors: **Anita L. Reynolds**, Temperance, MI
 (US); **Albert F. Cella**, Sylvania, OH
 (US); **Bruce E. Shane**, Delta, OH (US)

5,342,519 A 8/1994 Friedmann et al.
 5,681,461 A 10/1997 Gullett et al.
 5,779,903 A 7/1998 Smith et al.
 D412,551 S * 8/1999 Smith et al. D23/209
 6,632,355 B2 * 10/2003 Fritze 210/232
 D528,630 S * 9/2006 Booth D23/209

(73) Assignee: **Parker-Hannifin Corporation**,
 Cleveland, OH (US)

FOREIGN PATENT DOCUMENTS

(**) Term: **14 Years**

DE 1 933 283 1/1971
 DE 41 27 031 2/1993
 WO 95/00232 1/1995

(21) Appl. No.: **29/253,595**

* cited by examiner

(22) Filed: **Feb. 9, 2006**

Primary Examiner—Robin Webster
 (74) *Attorney, Agent, or Firm*—Christopher H. Hunter

(51) **LOC (8) Cl.** **23-01**
 (52) **U.S. Cl.** **D23/209**
 (58) **Field of Classification Search** D23/207,
 D23/209; 210/493.2, 234-5, 443-4, 470,
 210/238

(57) **CLAIM**

The ornamental design for a filter element, as shown and described.

See application file for complete search history.

DESCRIPTION


(56) **References Cited**

FIG. 1 is an elevated perspective view of the filter element, with portions of the element shown in phantom which form no part of the claimed design;
 FIG. 2 is a side view of the filter element of FIG. 1;
 FIG. 3 is a top end view of the filter element of FIG. 1; and,
 FIG. 4 is a bottom plan view of the filter element of FIG. 1.

U.S. PATENT DOCUMENTS

2,055,180 A 9/1936 Nelson
 2,995,253 A 8/1961 Belgarde et al.
 D200,995 S * 4/1965 Hiers et al. D23/207
 3,256,989 A 6/1966 Hultgren
 4,721,563 A 1/1988 Rosaen
 5,171,430 A 12/1992 Beach et al.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4