



US00D548336S

(12) **United States Design Patent**
Galbraith

(10) **Patent No.:** **US D548,336 S**

(45) **Date of Patent:** **** Aug. 7, 2007**

(54) **INJECTION DEVICE**

(75) Inventor: **Sofia Galbraith**, Solothurn (CH)

(73) Assignee: **TecPharma Licensing AG**, Burgdorf (CH)

(**) Term: **14 Years**

(21) Appl. No.: **29/224,376**

(22) Filed: **Mar. 1, 2005**

(30) **Foreign Application Priority Data**

Sep. 2, 2004 (DE) 000221536-0001

(51) **LOC (8) Cl.** **24-04**

(52) **U.S. Cl.** **D24/114**

(58) **Field of Classification Search** D24/112-114,
D24/146, 147; 604/211, 218, 207, 208, 209,
604/506, 185, 198, 132, 134-137; D19/43,
D19/51, 55, 57; 606/181, 182

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D428,650 S * 7/2000 Bellhouse et al. D24/112
D428,651 S * 7/2000 Andersson et al. D24/112
D434,848 S * 12/2000 Bellhouse et al. D24/114
6,575,939 B1 * 6/2003 Brunel 604/187
D489,403 S * 5/2004 Lin D19/43

* cited by examiner

Primary Examiner—Louis Zarfaz

Assistant Examiner—David G. Muller

(74) *Attorney, Agent, or Firm*—David E. Bruhn

(57) **CLAIM**

The ornamental design for an injection device, as shown.

DESCRIPTION

FIG. 1 is a perspective view of the injection device of the present invention, showing one side of the generally triangularly shaped device and the front end of the device (the other sides having substantially the same appearance from the same perspective);

FIG. 2 is a perspective view of the injection device of the present invention showing one side of the generally triangular body of the device and the rear end of the device;

FIG. 3 is a side elevation view of the injection device of the present invention showing the generally rounded junction between two sides of the generally triangularly shaped device, further showing that the device generally tapers from rear to front, the side opposite being a mirror image of FIG. 3;

FIG. 4 is a perspective view of the rear end of the injection device of the present invention;

FIG. 5 is a perspective view similar to that of FIG. 1 depicting the device as it would appear at one point during being readied for use;


FIG. 6 is a bottom plan view of the injection device of FIG. 3 of the present invention;

FIG. 7 is a top plan view of the injection device of FIG. 3 of the present invention;

FIG. 8 is a bottom end elevation view of the injection device of the present invention; and,

FIG. 9 is a top end elevation view of the injection device of the present invention.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2





FIG. 3

FIG. 4






FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9