

US00D548400S

(12) **United States Design Patent**
Boord

(10) **Patent No.:** **US D548,400 S**

(45) **Date of Patent:** **** Aug. 7, 2007**

(54) **HIGH VISIBILITY SAFETY VEST**

(76) **Inventor:** **Richard Nils Boord**, 104 Baker La.,
Smithton, PA (US) 15479

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/233,106**

(22) **Filed:** **Jun. 28, 2005**

(51) **LOC (8) Cl.** **02-02**

(52) **U.S. Cl.** **D29/101.1**

(58) **Field of Classification Search** D29/100,
D29/100.1, 101.2, 101.4, 124; D2/828, 829,
D2/847, 860, 861; 2/1, 2.17, 2.5, 51, 69,
2/81, 92, 102, 108, 456-459, 461-466, 828;
119/49.5

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,034,133	A *	5/1962	Eilenberg	2/97
4,084,264	A *	4/1978	Marion	2/459
4,170,793	A *	10/1979	O'Brien	2/113
4,213,204	A *	7/1980	Donlon et al.	2/94
4,441,211	A *	4/1984	Donzis	2/459
4,472,835	A *	9/1984	Clark	2/102
4,567,611	A *	2/1986	Kendrick	2/104
D341,471	S *	11/1993	Cross	D2/717
5,406,648	A *	4/1995	Butzer et al.	2/81
5,426,787	A *	6/1995	Freeman	2/69
5,727,255	A *	3/1998	Minks	2/69
5,752,277	A *	5/1998	van der Sleen	2/69
6,049,908	A *	4/2000	Bullock et al.	2/69
6,237,153	B1 *	5/2001	Bowens	2/114
6,295,648	B2 *	10/2001	Siman-Tov et al.	2/2.5

6,295,654	B1 *	10/2001	Farrell	2/456
6,332,221	B1 *	12/2001	Gracey	2/69
6,567,989	B1 *	5/2003	Martinez	2/69
6,584,619	B1 *	7/2003	Macri	2/456
6,668,380	B2 *	12/2003	Marmaropoulos et al.	2/69
6,783,839	B1 *	8/2004	Alpini	428/192
D507,393	S *	7/2005	Gabrielson	D2/864
D510,795	S *	10/2005	Yuter et al.	D2/847
2003/0221237	A1 *	12/2003	Griesbach et al.	2/69
2004/0250331	A1 *	12/2004	Bayer	2/69
2005/0097659	A1 *	5/2005	Aroch et al.	2/456
2005/0177919	A1 *	8/2005	Kushnir et al.	2/69
2006/0277647	A1 *	12/2006	Dobkin	2/69
2006/0282933	A1 *	12/2006	Chambliss et al.	2/69

* cited by examiner

Primary Examiner—T. Chase Nelson

Assistant Examiner—Karen Acker

(74) *Attorney, Agent, or Firm*—Carothers & Carothers

(57) **CLAIM**

The ornamental design for a high visibility safety vest, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a high visibility safety vest showing my new design;

FIG. 2 is a front view of the high visibility safety vest showing my new design;


FIG. 3 is a back view thereof;

FIG. 4 is a top view thereof;

FIG. 5 is a right side view thereof; and,

FIG. 6 is a left side view thereof.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6