

US00D548414S

(12) **United States Design Patent** (10) **Patent No.:** **US D548,414 S**
Akin et al. (45) **Date of Patent:** **** Aug. 7, 2007**

(54) **SCRUBBER**

(75) Inventors: **Jon Akin**, McDonough, GA (US);
Dennis Gualdoni, Stockbridge, GA (US)

(73) Assignee: **Continental Commercial Products, LLC**, Bridgeton, MO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/220,332**

(22) Filed: **Dec. 29, 2004**

(51) **LOC (8) Cl.** **07-05**

(52) **U.S. Cl.** **D32/40**

(58) **Field of Classification Search** D4/120,
D4/137; D32/35, 40, 42, 46; 15/209.1, 210.1,
15/210.5, 244.1, 244.3, 244.4, 229.11, 229.12,
15/104.93, 104.94, 118, 208, 223; 451/533,
451/534, 537, 539, 523; 401/6, 196
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D379,698 S *	6/1997	Freudenberg et al.	D32/40
D462,818 S *	9/2002	Haro	D32/40
D464,472 S *	10/2002	Haro	D32/40
D473,027 S *	4/2003	Pecaut	D32/40
D495,842 S	9/2004	Minkley et al.	
D498,337 S	11/2004	Minkley et al.	
D518,260 S *	3/2006	Aubourg et al.	D32/40
2005/0273958 A1 *	12/2005	Dillon	15/104.93
2006/0123573 A1 *	6/2006	Rivera et al.	15/118
2006/0269682 A1 *	11/2006	Nahorshi-Chalupny	427/429

FOREIGN PATENT DOCUMENTS

EM	000259122-0001	*	11/2004
EM	000259122-0007	*	11/2004
EM	000259122-0009	*	11/2004

OTHER PUBLICATIONS

U.S. Trademark Registration No. 2,652,809 for Scrubber Design, printed from <http://tarr.uspto.gov/servlet/tan?regser=registration&entry=2652809>, Nov. 22, 2004, three pages.
Scotch-Brite™ Power Pad Sponge No. 2000, 23163, 2.8 in×4.5 in×0.6 in, 20 pads per case, printed from http://www.3m.com/catalog/us/en001/manufacturing_industry/commercial?care-node_..., Nov. 24, 2004, two pages.

* cited by examiner

Primary Examiner—Alan P. Douglas

Assistant Examiner—Barbara Fox

(74) *Attorney, Agent, or Firm*—Thompson Coburn LLP

(57) **CLAIM**

The ornamental design for a scrubber, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a scrubber of the present invention showing our new design;

FIG. 2 is a top plan view of the scrubber of FIG. 1;

FIG. 3 is a front elevational view of the scrubber of FIG. 1, the rear elevational view being a mirror image thereof;

FIG. 4 is a left end view of the scrubber of FIG. 1;

FIG. 5 is a right end view of the scrubber of FIG. 1;

FIG. 6 is a bottom plan view of the scrubber of FIG. 1;

FIG. 7 is a perspective view of a second embodiment of a scrubber of the present invention showing our new design;


FIG. 8 is a front elevational view of the scrubber of FIG. 7, the rear elevational view being a mirror image thereof;

FIG. 9 is a left end view of the scrubber of FIG. 7;

FIG. 10 is a top plan view of the scrubber of FIG. 7, the bottom plan view being a mirror image thereof; and,

FIG. 11 is a right end view of the scrubber of FIG. 7.

1 Claim, 5 Drawing Sheets






Figure 1




Figure 5




Figure 2




Figure 3




Figure 4




Figure 6




Figure 7



Figure 8




Figure 9

Figure 10

Figure 11