



US00D548609S

(12) **United States Design Patent**
Considine et al.

(10) **Patent No.:** **US D548,609 S**

(45) **Date of Patent:** **** Aug. 14, 2007**

(54) **CAT TOPICAL DISPENSER**

D512,645 S * 12/2005 Wolters D9/611

(75) Inventors: **Therese M. Considine**, Lake Zurich, IL (US); **Patrick Roy Brown**, Frisco, TX (US)

* cited by examiner

Primary Examiner—Sandra L. Morris

(74) *Attorney, Agent, or Firm*—Townsend and Townsend and Crew LLP

(73) Assignee: **Wellmark International**, Schaumburg, IL (US)

(57) **CLAIM**

(**) Term: **14 Years**

The ornamental design for a cat topical dispenser, as shown and described.

(21) Appl. No.: **29/237,684**

(22) Filed: **Sep. 1, 2005**

DESCRIPTION

(51) **LOC (8) Cl.** **09-01**

The cat topical dispenser is intended for use as a dispenser of a formulation such as a solid, semi-solid or fluid formulation. One example of such a formulation is a formulation intended for tick and flea control on pets, and in particular cats.

(52) **U.S. Cl.** **D9/611; D9/707**

(58) **Field of Classification Search** D9/600–601, D9/607, 611, 624–625, 696, 707–710, 723–729; D11/158; D21/617, 660; D24/117, 119; D30/199

See application file for complete search history.

FIG. 1 is a perspective view of one embodiment of a cat topical dispenser.

FIG. 2 is a perspective view of another embodiment of a cat topical dispenser.

FIG. 3 is a side view of the cat topical dispenser of FIG. 2;

FIG. 4 is a perspective view of the cat topical dispenser of FIG. 2; and,


FIG. 5 is a perspective view of another embodiment of a cat topical dispenser.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D205,272 S	*	7/1966	Joseph	D21/617
D300,615 S	*	4/1989	Pfaff	D11/158
D362,618 S	*	9/1995	Paling et al.	D9/707
D422,502 S	*	4/2000	Keller et al.	D9/451
D463,275 S	*	9/2002	Garcia	D9/696
D511,463 S	*	11/2005	Wolters	D9/611

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5