



US00D548741S

(12) **United States Design Patent**
Wishneusky et al.

(10) **Patent No.:** **US D548,741 S**
(45) **Date of Patent:** **** Aug. 14, 2007**

(54) **MAIL SLOT INPUT FOR TRANSMITTAL DEVICE**

(75) Inventors: **Adam Wishneusky**, Troy, NY (US);
Neil Grabowsky, Troy, NY (US)

(73) Assignee: **Celery, LLC**, Troy, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/240,848**

(22) Filed: **Oct. 19, 2005**

(51) **LOC (8) Cl.** **14-03**

(52) **U.S. Cl.** **D14/471; D19/3**

(58) **Field of Classification Search** D14/462-471;
D18/36-41; 358/400-404; D19/3, 4
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D310,385 S *	9/1990	Thomson	D19/3
D378,926 S *	4/1997	Dubson	D18/50
D414,799 S *	10/1999	Cook et al.	D18/55
D423,563 S *	4/2000	Collins et al.	D18/55
D433,442 S *	11/2000	Clark, III	D18/55
2006/0279796 A1 *	12/2006	Wishneusky et al.	358/474

* cited by examiner

Primary Examiner—Stella Reid
Assistant Examiner—Keli' L. Acker
(74) *Attorney, Agent, or Firm*—Schiff Hardin LLP

(57) **CLAIM**

The ornamental design for a mail slot input for transmittal device, as shown and described.

DESCRIPTION

A mail envelope-shaped slot is provided on a transmittal device for inputting a paper copy of a document to be transmitted.

FIG. 1 is an isometric view of a mail slot input for transmittal device embodying my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a left view thereof;


FIG. 4 is a right view thereof;

FIG. 5 is a rear view thereof; and,

FIG. 6 is a top view thereof.

The broken line showing of the mail slot input for transmittal device is included for the purpose of illustrating environmental structure and forms no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6