



US00D548834S

(12) **United States Design Patent**  
**Hansen**

(10) **Patent No.:** **US D548,834 S**

(45) **Date of Patent:** **\*\* Aug. 14, 2007**

(54) **BOTTLE WITH LIQUID AND AIR COMPARTMENTS**

D515,936 S \* 2/2006 Ko ..... D9/696  
7,028,862 B2 4/2006 Poynter  
2002/0134377 A1\* 9/2002 Loeffler et al. .... 128/200.24

(76) Inventor: **Bernd Hansen**, Talstrasse 22-30,  
D-74429 Sulzbach/Laufen (DE)

\* cited by examiner

(\*\*) Term: **14 Years**

*Primary Examiner*—Louis Zarfaz  
*Assistant Examiner*—David G. Muller

(21) Appl. No.: **29/225,270**

(74) *Attorney, Agent, or Firm*—Roylance, Abrams, Berdo &  
Goodman, L.L.P.

(22) Filed: **Mar. 15, 2005**

(57) **CLAIM**

(30) **Foreign Application Priority Data**

Sep. 21, 2004 (EP) ..... 000229588-0001  
Sep. 21, 2004 (EP) ..... 000229588-0002

I claim the ornamental design of a bottle with liquid and air compartments, as shown and described.

**DESCRIPTION**

(51) **LOC (8) Cl.** ..... **24-02**

(52) **U.S. Cl.** ..... **D24/114**

(58) **Field of Classification Search** ..... D24/117,  
D24/115, 223, 226; 222/209, 207, 215, 143,  
222/541.6; D9/695-699; 206/528, 219;  
604/3, 171, 298; 215/47, 48, 50; 128/200.24  
See application file for complete search history.

FIG. 1 is a front elevational view of the bottle with liquid and air compartments according to a first embodiment of the present invention, the back view being a mirror image thereof;

FIG. 2 is a side elevational view of the bottle of FIG. 1, the opposite side view being a mirror image thereof;

FIG. 3 is a top plan view of the bottle of FIG. 1;

FIG. 4 is a bottom plan view of the bottle of FIG. 1;

FIG. 5 is a front elevational view of the bottle with liquid and air compartments, shown at a larger scale, according to a second embodiment of the present invention, the back view being a mirror image thereof;

FIG. 6 is a side elevational view of the bottle of FIG. 5, shown at a larger scale, the opposite side view being a mirror image thereof;

FIG. 7 is a top plan view of the bottle of FIG. 5; and,

FIG. 8 is a bottom plan view of the bottle of FIG. 5.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D312,209 S \* 11/1990 Morrow et al. .... D24/117  
5,009,309 A \* 4/1991 Hansen ..... 206/219  
D369,212 S \* 4/1996 Snell ..... D24/117  
D392,184 S \* 3/1998 Weiler ..... D9/696  
5,878,900 A \* 3/1999 Hansen ..... 215/50  
5,897,008 A \* 4/1999 Hansen ..... 215/48  
6,241,124 B1 \* 6/2001 Hoyt ..... 222/143  
D467,336 S \* 12/2002 Gilbard et al. .... D24/115  
6,585,693 B1 \* 7/2003 Dischler ..... 604/171  
D487,397 S \* 3/2004 Peghini ..... D9/696  
D492,407 S \* 6/2004 Masuda et al. .... D24/115  
6,860,405 B1 3/2005 Poynter

**1 Claim, 2 Drawing Sheets**






FIG. 3




FIG. 1




FIG. 2




FIG. 4



FIG. 7




FIG. 5




FIG. 6




FIG. 8