



US00D548872S

(12) **United States Design Patent**
Dubbeldam et al.

(10) **Patent No.: US D548,872 S**
(45) **Date of Patent: ** Aug. 14, 2007**

(54) **LIGHTING FIXTURE**

(75) Inventors: **Winka Dubbeldam**, New York, NY (US); **Ana Zatazalo**, Belgrade (YU); **Susan Hakkarainen**, Doylestown, PA (US)

(73) Assignee: **Ivalo Lighting Inc.**, Willow Grove, PA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/225,204**

(22) Filed: **Mar. 11, 2005**
(Under 37 CFR 1.47)

(51) **LOC (8) Cl.** **26-03**

(52) **U.S. Cl.** **D26/85; D26/84; D26/89**

(58) **Field of Classification Search** **D26/72, D26/85-92; 362/147, 432, 404-408**
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D165,738 S *	1/1952	Brochstein	D26/85
D265,765 S *	8/1982	Hawkins	D26/85
D448,106 S *	9/2001	Lin	D26/87
D454,971 S *	3/2002	Crosby	D26/85
D455,223 S *	4/2002	Crosby	D26/85

* cited by examiner

Primary Examiner—Clare E Heflin

(74) *Attorney, Agent, or Firm*—Ostrolenk, Faber, Gerb & Soffen, LLP

(57) **CLAIM**

The design for a lighting fixture, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view seen from the lower right (left) side illustrating the front, bottom, and right (left) side of the fixture in a wall-mounted embodiment, in which the outward

facing surface includes a central portion which is opaque, and a surrounding marginal portion which is light transmissive (i.e., transparent or translucent).

FIG. 2 is an isometric view of the fixture of FIG. 1 seen from the lower right side further illustrating the front, bottom, and right side of the fixture.

FIG. 3 is an isometric view of the fixture of FIG. 1 seen from the upper right side illustrating the front, top, and right side of the fixture.

FIG. 4 is an isometric view of the fixture of FIG. 1 seen from the lower right side illustrating the back, bottom, and lower right side of the fixture.

FIG. 5 is an isometric view of the fixture of FIG. 1 seen from the lower left side illustrating the back, bottom, and left side of the fixture.

FIG. 6 is an isometric view of the fixture of FIG. 1 seen from the upper left side illustrating the front and top of the fixture.

FIG. 7 is an isometric view of the fixture of FIG. 1 seen from the upper left side illustrating the back, top, and left side of the fixture.

FIG. 8 is an isometric view of the fixture of FIG. 1 seen from the upper right side illustrating the back, top, and right side of the fixture.

FIG. 9 is a front elevation view of the fixture of FIG. 1.

FIG. 10 is a rear elevation view of the fixture of FIG. 1.

FIG. 11 is a bottom plan view of the fixture of FIG. 1.

FIG. 12 is a top plan view of the fixture of FIG. 1.

FIG. 13 is a left side elevation view of the fixture of FIG. 1.

FIG. 14 is a right side elevation view of the fixture of FIG. 1.

FIG. 15 is a cross-sectional view of the fixture of FIG. 1 taken along line 15—15 in FIG. 9.

FIG. 16 is a cross-sectional view of the fixture of FIG. 1 taken along line 15—16 in FIG. 9.

FIG. 17 is a cross-sectional view of the fixture of FIG. 1 taken along line 17—17 in FIG. 9.




FIG. 18 is a cross-sectional view of the fixture of FIG. 1 taken along line 18—18 in FIG. 9.

FIG. 19 is a cross-sectional view of the fixture of FIG. 1 taken along line 19—19 in FIG. 9.

FIG. 20 is a cross-sectional view of the fixture of FIG. 1 taken along line 20—20 in FIG. 9.

FIG. 21 is an isometric view similar to FIG. 1 showing a variant of the embodiment of FIGS. 1—20 in which the fixture has been rotated 180 degrees so that the left and right sides and the top and bottom are interchanged.

FIG. 22 is an elevation view similar to FIG. 12 showing a variant of the embodiments of FIGS. 1—20 and FIG. 21 in which the fixture is mounted as a pendant from a ceiling; and,

FIG. 23 is an elevation view similar to FIG. 22 showing a variant of the pendant mounted fixture.

The broken lines shown on the drawings are for illustrative purposes only and form no part of the claimed design.

1 Claim, 10 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13



FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23