

US00D548937S

(12) **United States Design Patent**
Brodie

(10) **Patent No.:** **US D548,937 S**

(45) **Date of Patent:** **** Aug. 21, 2007**

(54) **INSOLE**

(76) **Inventor:** **Andrew Brodie**, 34 Hatley Close,
London (GB) N11 3LN

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/271,093**

(22) **Filed:** **Jan. 10, 2007**

(30) **Foreign Application Priority Data**

Jul. 10, 2006 (GB) 3025332

(51) **LOC (8) Cl.** **02-99**

(52) **U.S. Cl.** **D2/961; D10/70**

(58) **Field of Classification Search** D2/946,
D2/961; 36/43, 44, 31, 145-182; D10/70
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,449,844	A *	6/1969	Spence	36/44
4,009,528	A *	3/1977	Villari et al.	36/44
4,627,179	A *	12/1986	McElroy	36/44
D474,589	S *	5/2003	Dykes	D2/961
6,618,960	B2 *	9/2003	Brown	36/44

6,854,198	B2 *	2/2005	Brooks	36/169
6,889,452	B2 *	5/2005	Ailey et al.	36/44
D513,358	S *	1/2006	Amado et al.	D2/961
D526,916	S *	8/2006	Oas	D10/70
D529,404	S *	10/2006	Eden et al.	D10/70

* cited by examiner

Primary Examiner—Dominic Simone
(74) *Attorney, Agent, or Firm*—Kimberly A. Chasteen

(57) **CLAIM**

The ornamental design for an insole, as shown.


DESCRIPTION

FIG. 1 is a rear left side perspective view of an insole according to the present invention with the flexible rear portion in the raised position;

FIG. 2 is a plan view of an insole according to the present invention with the flexible rear portion in the flat position; and,

FIG. 3 is a side view of an insole according to the present invention with the flexible rear portion in the flat position, each side being a substantial mirror image of the other.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3