

US00D548967S

(12) **United States Design Patent**
Bell

(10) **Patent No.:** **US D548,967 S**

(45) **Date of Patent:** **** Aug. 21, 2007**

(54) **COMPUTER CARRYING CASE ASSEMBLY**

(76) Inventor: **Terry Bell**, 9 Music Sq. South #250,
Nashville, TN (US) 37203

(**) Term: **14 Years**

(21) Appl. No.: **29/220,226**

(22) Filed: **Dec. 28, 2004**

(51) **LOC (8) Cl.** **03-01**

(52) **U.S. Cl.** **D3/287; D3/290; D3/900**

(58) **Field of Classification Search** D3/230,
D3/232-233, 240, 273-274, 267-268, 290,
D3/293, 900; 190/100, 102, 108-109, 111-115,
190/119, 900, 903; 206/320

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,454,068	A *	7/1969	Copen et al.	190/109
D247,460	S *	3/1978	Sykes	D3/268
D247,525	S *	3/1978	Sykes	D3/268
D252,959	S *	9/1979	Lang	D3/268
D273,535	S *	4/1984	Weinreb	D3/268
D302,211	S *	7/1989	Sears	D3/283
5,217,119	A *	6/1993	Hollingsworth	206/583
D360,075	S *	7/1995	Cross et al.	D3/276
D360,978	S *	8/1995	Willard et al.	D3/301
D368,370	S *	4/1996	Tawil	D3/276
D374,346	S *	10/1996	Giovannella	D3/243
D399,057	S *	10/1998	Akutsu	D3/290
D411,346	S *	6/1999	Pracht	D3/233
D419,299	S *	1/2000	Bauer	D3/279
D437,114	S *	2/2001	Spindler	D3/283
D457,315	S *	5/2002	Wolf	D3/290
D465,086	S *	11/2002	Watts	D3/290
D474,601	S *	5/2003	Li et al.	D3/285
6,597,568	B2 *	7/2003	Ryder	361/683
D487,191	S *	3/2004	Ong	D3/290

D494,757	S *	8/2004	Hinds	D3/287
D499,547	S *	12/2004	Brown	D3/273
2005/0161301	A1 *	7/2005	Hoberman et al.	190/110

* cited by examiner

Primary Examiner—Philip S. Hyder

Assistant Examiner—RoseLynne (Ulm) Cody

(74) *Attorney, Agent, or Firm*—Kunzler & McKenzie

(57) **CLAIM**

The ornamental design for a computer carrying case assembly, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the computer carrying case assembly;

FIG. 2 is a front view of the computer carrying case assembly;

FIG. 3 is a back view of the computer carrying case assembly;

FIG. 4 is a side view of the computer carrying case assembly;

FIG. 5 is an opposing side view of the computer carrying case assembly;

FIG. 6 is a top view of the computer carrying case assembly;



FIG. 7 is a bottom view of the computer carrying case assembly;

FIG. 8 is a perspective view of the computer carrying case assembly in an open position;

FIG. 9 is a perspective view of the computer carrying case assembly in an open position with the computer compartment removed; and,

FIG. 10 is a front view of the accessory compartment of the computer carrying case assembly in an open position.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10