



US00D549064S

(12) **United States Design Patent** (10) **Patent No.:** **US D549,064 S**
Youngren et al. (45) **Date of Patent:** **** Aug. 21, 2007**

(54) HAMMER	4,639,029 A	1/1987	Kolonia
	D288,406 S	2/1987	Santos
(75) Inventors: Robert H. Youngren , Rockford, IL (US); Bruce V. Johnson , Sterling, IL (US)	D291,402 S	8/1987	Square
	D300,111 S	3/1989	Square
	D315,483 S *	3/1991	Williamson D8/75
	5,123,303 A	6/1992	Lee et al.
(73) Assignee: Estwing Manufacturing Company , Rockford, IL (US)	5,259,274 A	11/1993	Hreha
	5,425,176 A	6/1995	Brainerd et al.
	5,588,343 A	12/1996	Rust et al.
	5,657,674 A	8/1997	Burnett

(**) Term: **14 Years**

(21) Appl. No.: **29/254,955**

(22) Filed: **Mar. 1, 2006**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/204,735,
filed on May 3, 2004, now Pat. No. Des. 521,342.

(51) **LOC (8) Cl.** **08-02**

(52) **U.S. Cl.** **D8/75**

(58) **Field of Classification Search** D8/75,
D8/76, 77, 78, 79, 80, 81, 107; 81/19, 20,
81/21, 22; 7/143, 145; 254/19
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,934,706 A	11/1933	Green	
D140,407 S	2/1945	Henkel	
D209,653 S	12/1967	Vogel	
3,792,725 A	2/1974	Burgeson	
3,870,091 A	3/1975	Burgeson	
3,874,433 A	4/1975	Sheperd, Jr. et al.	
D237,582 S	11/1975	Mostyn et al.	
4,030,847 A	6/1977	Carmien	
4,038,719 A	8/1977	Bennett	
4,154,273 A	5/1979	Pollak	
D262,186 S	12/1981	Royce	
4,363,344 A	12/1982	Pollak	
D271,275 S *	11/1983	Richilano D8/26

(Continued)

OTHER PUBLICATIONS

Chaffin et al., Eds., "Hand-Tool Design Guidelines," in: *Occupational Biomechanics*, Ch. 11, pp. 435-461, 3rd Edition, John Wiley & Sons, Inc. (New York, 1999).

(Continued)

Primary Examiner—Philip S. Hyder
(74) *Attorney, Agent, or Firm*—Drinker Biddle & Reath LLP


(57) **CLAIM**

The ornamental design for a hammer, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a hammer showing my new design;
FIG. 2 is a rear perspective view of the hammer;
FIG. 3 is a front elevation view of the hammer;
FIG. 4 is a rear elevation view of the hammer;
FIG. 5 is a right side elevation view of the hammer, the left side elevation being a mirror image thereof;
FIG. 6 is a top plan view of the hammer; and,
FIG. 7 is a bottom plan view of the hammer.

1 Claim, 4 Drawing Sheets



U.S. PATENT DOCUMENTS

5,768,956 A 6/1998 Coonrad
 5,860,334 A 1/1999 Coonrad
 D408,702 S 4/1999 Hammond et al.
 5,906,144 A 5/1999 Staviski et al.
 D416,462 S * 11/1999 Pringle et al. D8/75
 5,988,019 A 11/1999 Coonrad
 5,996,235 A 12/1999 Brainerd
 6,016,722 A 1/2000 Gierer et al.
 D420,881 S 2/2000 Davis et al.
 D426,128 S 6/2000 Lamond et al.
 6,095,497 A * 8/2000 Chen 254/19
 D431,987 S * 10/2000 Staton D8/75
 D431,988 S * 10/2000 Staton D8/75
 6,128,977 A 10/2000 Gierer et al.
 6,131,488 A 10/2000 Coonrad
 D436,821 S 1/2001 Douglas et al.
 6,202,511 B1 3/2001 Murray et al.
 D442,048 S 5/2001 Coonrad
 6,250,181 B1 6/2001 Coonrad
 D449,770 S 10/2001 Chen
 6,370,986 B1 4/2002 Scott
 6,405,616 B1 6/2002 Chen
 D459,968 S 7/2002 Harkins et al.

6,435,059 B1 8/2002 Martinez
 6,460,430 B2 10/2002 Coonrad
 D478,264 S 8/2003 Chen
 D478,265 S 8/2003 Chen
 D478,266 S 8/2003 Chen
 6,647,829 B1 11/2003 Youngren et al.
 6,976,406 B2 12/2005 Youngren et al.
 D519,348 S * 4/2006 Chen D8/75
 D521,342 S * 5/2006 Youngren D8/75
 2001/0029813 A1 10/2001 Schroeder

OTHER PUBLICATIONS

Harkins et al., U.S. Appl. No. 29/159,136, filed Apr. 18, 2002.
 Harkins et al., U.S. Appl. No. 29/159,383, filed Apr. 19, 2002.
 Knowlton et al., "Ulnar Deviation and Short-Term Strength Reductions as Affected by a Curve-Handled Ripping Hammer and a Conventional Claw Hammer," *Ergonomics*, 26 (2), 173-179 (1983).
 Konz, "Bent Hammer Handles," *Human Factors*, 28 (3), 317-323 (1986).
 "RIDGID Robohammer®," in *Woodworking Tools for a Lifetime*, Web page: http://www.ridgidwoodworking.com/products_roboshammer.phtml (1998-2002).

* cited by examiner




FIG. 1




FIG. 2

FIG.3




FIG.4




FIG.5




FIG. 6




FIG. 7

