



US00D549066S

(12) **United States Design Patent** (10) **Patent No.:** **US D549,066 S**
Youngren et al. (45) **Date of Patent:** **** Aug. 21, 2007**

- (54) **HAMMER**
- (75) Inventors: **Robert H. Youngren**, Rockford, IL (US); **Bruce V. Johnson**, Sterling, IL (US)
- (73) Assignee: **Estwing Manufacturing Company**, Rockford, IL (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/254,956**
- (22) Filed: **Mar. 1, 2006**

Related U.S. Application Data

- (60) Continuation-in-part of application No. 29/236,688, filed on Aug. 19, 2005, now Pat. No. Des. 540,646, which is a division of application No. 29/204,735, filed on May 3, 2004, now Pat. No. Des. 521,342.
- (51) **LOC (8) Cl.** **08-02**
- (52) **U.S. Cl.** **D8/78**
- (58) **Field of Classification Search** D8/75, D8/76, 77, 78, 79, 80, 81, 107; 81/19, 20, 81/21, 22; 7/143, 145
 See application file for complete search history.

References Cited


U.S. PATENT DOCUMENTS

- 1,934,706 A 11/1933 Green
 D140,407 S 2/1945 Henkel
 D209,653 S 12/1967 Vogel
 3,792,725 A 2/1974 Burgeson
 3,870,091 A 3/1975 Burgeson
 3,874,433 A 4/1975 Shepherd, Jr. et al.
 D237,582 S 11/1975 Mostyn et al.
 4,030,847 A 6/1977 Carmien
 4,038,719 A 8/1977 Bennett
 4,154,273 A 5/1979 Pollak
 D262,186 S 12/1981 Royce
 4,363,344 A 12/1982 Pollak
 4,639,029 A 1/1987 Kolonia
 D288,406 S 2/1987 Santos

- D291,402 S 8/1987 Square
 D300,111 S 3/1989 Square
 5,123,303 A 6/1992 Lee et al.
 5,259,274 A 11/1993 Hreha
 5,425,176 A 6/1995 Brainerd et al.
 5,588,343 A 12/1996 Rust et al.
 5,657,674 A 8/1997 Burnett
 5,768,956 A 6/1998 Coonrad
 5,860,334 A 1/1999 Coonrad
 D408,702 S 4/1999 Hammond et al.
 5,906,144 A 5/1999 Staviski et al.
 D416,462 S 11/1999 Pringle et al.
 5,988,019 A 11/1999 Coonrad
 5,996,235 A 12/1999 Brainerd
 6,016,722 A 1/2000 Gierer et al.
 D420,881 S 2/2000 Davis et al.
 D426,128 S 6/2000 Lamond et al.
 6,128,977 A 10/2000 Gierer et al.
 6,131,488 A 10/2000 Coonrad
 D436,821 S 1/2001 Douglas et al.
 D439,448 S * 3/2001 DeJule D6/495
 6,202,511 B1 3/2001 Murray et al.
 D442,048 S 5/2001 Coonrad
 6,250,181 B1 6/2001 Coonrad
 D449,770 S 10/2001 Chen
 D455,626 S * 4/2002 Chen D8/78
 6,370,986 B1 4/2002 Scott
 6,405,616 B1 6/2002 Chen
 D459,968 S 7/2002 Harkins et al.
 6,435,059 B1 8/2002 Martinez
 6,460,430 B2 10/2002 Coonrad
 D478,264 S 8/2003 Chen
 D478,265 S 8/2003 Chen
 D478,266 S 8/2003 Chen
 6,647,829 B1 11/2003 Youngren et al.
 D503,605 S * 4/2005 Hung D8/78
 D505,609 S * 5/2005 Hung D8/79
 6,976,406 B2 12/2005 Youngren et al.
 D528,890 S * 9/2006 Chen D8/78
 D536,592 S * 2/2007 Chen D8/78
 2001/0029813 A1 10/2001 Schroeder

OTHER PUBLICATIONS

- Chaffin et al., Eds., "Hand-Tool Design Guidelines," in: *Occupational Biomechanics*, Ch. 11, pp. 435-461, 3rd Edition, John Wiley & Sons, Inc. (New York, 1999).
 Harkins et al., U.S. Appl. No. 29/159,356, filed Apr. 18, 2002.
 Harkins et al., U.S. Appl. No. 29/159,383, filed Apr. 19, 2002.



Knowlton et al., "Ulnar Deviation and Short-Term Strength Reductions as Affected by a Curve-Handled Ripping Hammer and a Conventional Claw Hammer," *Ergonomics*, 26 (2), 173-179 (1983).
Konz, "Bent Hammer Handles," *Human Factors*, 28 (3), 317-323 (1986).

"Ridgid Robohammer®," in *Woodworking Tools for a Lifetime*, Web page: http://www.ridgidwoodworking.com/products_rob hammer.phtml (1998-2002).

* cited by examiner

Primary Examiner—Philip S. Hyder
(74) *Attorney, Agent, or Firm*—Drinker Biddle & Reath LLP

(57) **CLAIM**

The ornamental design for a hammer, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of a hammer showing my new design;

FIG. 2 is a rear perspective view of the first embodiment of the hammer;

FIG. 3 is a front elevation view of the first embodiment of the hammer;

FIG. 4 is a rear elevation view of the first embodiment of the hammer;

FIG. 5 is a right side elevation view of the first embodiment of the hammer, the left side elevation being a mirror image thereof;

FIG. 6 is a top plan view of the first embodiment of the hammer;

FIG. 7 is a bottom plan view of the first embodiment of the hammer;

FIG. 8 is a front perspective view of the first embodiment of the hammer, wherein the broken line showing of the hammer grip is for illustrative purposes only and forms no part of the claimed embodiment;

FIG. 9 is a front perspective view of a second embodiment of the hammer;

FIG. 10 is a rear perspective view of the second embodiment of the hammer;

FIG. 11 is a front elevation view of the second embodiment of the hammer;

FIG. 12 is a rear elevation view of the second embodiment of the hammer;

FIG. 13 is a right side elevation view of the second embodiment of the hammer, the left side elevation being a mirror image thereof;

FIG. 14 is a top plan view of the second embodiment of the hammer;

FIG. 15 is a bottom plan view of the second embodiment of the hammer; and,

FIG. 16 is a front perspective view of the second embodiment of the hammer, wherein the broken line showing of the hammer grip is for illustrative purposes only and forms no part of the claimed embodiment. The broken lines immediately adjacent the shaded areas represent the bounds of the respective claimed design embodiments while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the respective claimed design embodiments.

1 Claim, 10 Drawing Sheets




FIG. 1




FIG. 2

FIG.3




FIG.4




FIG.5




FIG. 6





FIG. 7






FIG. 8




FIG.9




FIG. 10

FIG.11




FIG.12




FIG.13




FIG.14





FIG.15






FIG.16