



US00D549073S

(12) **United States Design Patent** (10) **Patent No.:** **US D549,073 S**  
**Gilbert et al.** (45) **Date of Patent:** **\*\* Aug. 21, 2007**

(54) **LOCKING DEVICE**

(75) Inventors: **David L. Gilbert**, Fort Wayne, IN  
(US); **Wanda K. Beard**, Angola, IN  
(US); **Paul A. Littrell**, Fort Wayne, IN  
(US)

(73) Assignee: **Brammall, Inc.**, Angola, IN (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/251,893**

(22) Filed: **Jan. 13, 2006**

(51) **LOC (8) Cl.** ..... **08-07**

(52) **U.S. Cl.** ..... **D8/330**

(58) **Field of Classification Search** ..... D8/330-348;  
70/207-211, 214, 215, 225, 226, 237, 238,  
70/70, 431, 466; 297/307 R, 317-318, 323-325  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D385,770 S \* 11/1997 Jackson ..... D8/330  
D521,356 S \* 5/2006 Littrell et al. .... D8/330  
D525,110 S \* 7/2006 Beard et al. .... D8/330

\* cited by examiner

*Primary Examiner*—Mitchell Siegel

(74) *Attorney, Agent, or Firm*—Pillsbury Winthrop Shaw  
Pittmann, LLP

(57) **CLAIM**

The ornamental design for the locking device, as shown and  
described.

**DESCRIPTION**

FIG. 1 is a perspective view of a locking device in accor-  
dance with the present invention;

FIG. 2 is an opposite perspective view thereof;

FIG. 3 is a side elevation thereof;

FIG. 4 is an opposite side elevation thereof;

FIG. 5 is a plan view thereof;


FIG. 6 is an opposite plan view thereof;

FIG. 7 is an end elevation thereof; and,

FIG. 8 is an opposite end elevation thereof.

It is understood that the strap represents an undetermined  
length, as represented by the gap in the strap.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5






FIG. 6



**FIG. 7**



**FIG. 8**