



US00D549092S

(12) **United States Design Patent**
Nabers

(10) **Patent No.:** **US D549,092 S**

(45) **Date of Patent:** **** Aug. 21, 2007**

(54) **SWITCH PLATE**

D240,894 S * 8/1976 Birdsall D8/351
5,502,843 A * 4/1996 Strickland 2/424

(76) **Inventor:** **Mickie Wayne Nabers**, 3201 Key Largo, Las Vegas, NV (US) 89120

* cited by examiner

(**) **Term:** **14 Years**

Primary Examiner—Stella Reid
Assistant Examiner—Mark Goodwin

(21) **Appl. No.:** **29/253,628**

(74) *Attorney, Agent, or Firm*—Robert Ryan Morishita; Morishita Law Firm, LLC

(22) **Filed:** **Feb. 8, 2006**

(57) **CLAIM**

(51) **LOC (8) Cl.** **11-05**

(52) **U.S. Cl.** **D9/351**

(58) **Field of Classification Search** D8/350–353;
D10/108, 123, 105; D13/169, 171, 156,
D13/174, 158, 162, 177, 184; 200/304, 330;
40/729, 732; 174/66, 67, 50, 58, 135; 220/241,
220/242, 3.8, 3.92, 3.94; 250/462.1, 466.1;
248/906

The ornamental design for a switch plate, as shown and described.

See application file for complete search history.

DESCRIPTION

(56) **References Cited**

FIG. 1 is a front perspective view of a switch plate according to an embodiment of the present invention;
FIG. 2 is a front view of the switch plate of FIG. 1;
FIG. 3 is a top view of the switch plate of FIG. 1;
FIG. 4 is a bottom view of the switch plate of FIG. 1;
FIG. 5 is a right view of the switch plate of FIG. 1;
FIG. 6 is a left view of the switch plate of FIG. 1; and,
FIG. 7 is a rear view of the switch plate of FIG. 1.

U.S. PATENT DOCUMENTS

D121,703 S * 7/1940 Seward D8/351
D149,547 S * 5/1948 Glynn D8/351
D186,110 S * 9/1959 Legan D8/351
D240,892 S * 8/1976 Birdsall D8/351
D240,893 S * 8/1976 Birdsall D8/351

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 3



FIG. 5




FIG. 2




FIG. 4




FIG. 6




FIG. 7

