



US00D549102S

(12) **United States Design Patent**  
**Rhode et al.**

(10) **Patent No.: US D549,102 S**  
(45) **Date of Patent: \*\* Aug. 21, 2007**

(54) **CONTAINER**

(75) Inventors: **Matthias Rhode**, Kaarst (DE);  
**Andreas Meyer**, Duesseldorf (DE);  
**Anja Steinbrinker**, Duesseldorf (DE)

(73) Assignee: **Henkel Kommanditgesellschaft auf Aktien**, Duesseldorf (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/212,738**

(22) Filed: **Sep. 8, 2004**

(30) **Foreign Application Priority Data**

Mar. 17, 2004 (DE) ..... 4 04 01 732

(51) **LOC (8) Cl.** ..... **09-01**

(52) **U.S. Cl.** ..... **D9/521; D9/529**

(58) **Field of Classification Search** ..... None  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D242,772 S \* 12/1976 Marlow ..... D9/521

(Continued)

*Primary Examiner*—Ian Simmons

*Assistant Examiner*—Dana Sipos

(74) *Attorney, Agent, or Firm*—Stephen D. Harper; Glenn E. J. Murphy

(57) **CLAIM**

We claim the ornamental design for a container, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front, left side perspective view of a container showing our new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a top, front, left side perspective view of the container of FIG. 1 with the cap removed;

FIG. 9 is a rear elevational view thereof;

FIG. 10 is a front elevational view thereof;

FIG. 11 is a left side elevational view thereof;

FIG. 12 is a right side elevational view thereof;

FIG. 13 is a top plan view thereof;

FIG. 14 is a bottom plan view thereof;

FIG. 15 is a top, front, left side perspective view the container of FIG. 1 with the cap and dispenser tip removed;

FIG. 16 is a rear elevational view thereof;

FIG. 17 is a front elevational view thereof;

FIG. 18 is a left side elevational view thereof;

FIG. 19 is a right side elevational view thereof;

FIG. 20 is a top plan view thereof;

FIG. 21 is a bottom plan view thereof;

FIG. 22 is a top, front, left side perspective view of a second embodiment of a container showing our new design;

FIG. 23 is a rear elevational view thereof;

FIG. 24 is a front elevational view thereof;

FIG. 25 is a left side elevational view thereof;

FIG. 26 is a right side elevational view thereof;

FIG. 27 is a top plan view thereof;

FIG. 28 is a bottom plan view thereof;

FIG. 29 is a top, front, left side perspective view of the container of FIG. 22 with the cap removed;

FIG. 30 is a rear elevational view thereof;

FIG. 31 is a front elevational view thereof;

FIG. 32 is a left side elevational view thereof;

FIG. 33 is a right side elevational view thereof;

FIG. 34 is a top plan view thereof;

FIG. 35 is a bottom plan view thereof;

FIG. 36 is a top, front, left side perspective view the container of FIG. 22 with the cap and dispenser tip removed;

FIG. 37 is a rear elevational view thereof;

FIG. 38 is a front elevational view thereof;

FIG. 39 is a left side elevational view thereof;


FIG. 40 is a right side elevational view thereof;

FIG. 41 is a top plan view thereof; and,

FIG. 42 is a bottom plan view thereof.

The broken lines shown in the drawings are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 24 Drawing Sheets**



# US D549,102 S

Page 2

---

U.S. PATENT DOCUMENTS					
D452,156 S	*	12/2001	Kokenge et al.	.....	D9/521
D487,400 S	*	3/2004	Oates	.....	D9/521
D501,141 S	*	1/2005	Bakic	.....	D9/521
					* cited by examiner
				D507,747 S	* 7/2005 Kerr et al. .... D9/521
				D508,406 S	* 8/2005 Kerr et al. .... D9/521




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8






FIG. 9




FIG. 10






FIG. 11




FIG. 12




FIG. 13




FIG. 14



FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22






FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35





FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : Des. 549,102 S  
APPLICATION NO. : 29/212738  
DATED : August 21, 2007  
INVENTOR(S) : Rhode et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page

DESCRIPTION, second column, line 9, between “view” and “the”, insert the word  
--of--.

DESCRIPTION, second column, line 33, between “view” and “the”, insert the word  
--of--.

Signed and Sealed this

Twenty-third Day of October, 2007

A handwritten signature in black ink on a light gray dotted background. The signature reads "Jon W. Dudas" in a cursive style.

JON W. DUDAS

*Director of the United States Patent and Trademark Office*