



US00D549162S

(12) **United States Design Patent**
Gerasimczuk

(10) **Patent No.:** **US D549,162 S**

(45) **Date of Patent:** **** Aug. 21, 2007**

(54) **PNEUMATIC TIRE**

D305,630 S * 1/1990 Shimamoto et al. D12/512
D482,320 S * 11/2003 Nishimori D12/571

(75) Inventor: **Alexandre Sorrentino Gerasimczuk**,
Santo Andre' SP (BR)

* cited by examiner

(73) Assignee: **Pirelli Pneumatici S.p.A.**, Milan (IT)

Primary Examiner—Robert M. Spear

Assistant Examiner—Katrina A. Kile

(**) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Finnegan, Henderson,
Farabow, Garrett & Dunner, L.L.P.

(21) Appl. No.: **29/258,751**

(57) **CLAIM**

(22) Filed: **Apr. 27, 2006**

The ornamental design for a pneumatic tire, as shown and
described.

(30) **Foreign Application Priority Data**

Oct. 28, 2005 (EM) 000422100-0001/0002

DESCRIPTION

(51) **LOC (8) Cl.** **12-15**

FIG. 1 is a front-perspective view of a pneumatic tire of my
new design;

(52) **U.S. Cl.** **D12/579**

(58) **Field of Classification Search** D12/579,
D12/535, 536, 544, 571, 564, 565, 585, 597,
D12/600, 601, 603, 605; 152/209.1, 209.8,
152/209.18, 209.25, 209.28

FIG. 2 is a right side view of thereof;

FIG. 3 is a left side view of thereof;

FIG. 4 is a front view of thereof;

See application file for complete search history.

FIG. 5 is a rear view of thereof;

FIG. 6 is a top view of thereof; and,


FIG. 7 is a bottom of thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D275,383 S * 9/1984 Stroble D12/571

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7