



US00D549593S

(12) **United States Design Patent** (10) **Patent No.:** **US D549,593 S**
Nobuto et al. (45) **Date of Patent:** **** Aug. 28, 2007**

(54) **COMBINED TUBE AND CAP** D351,101 S * 10/1994 Linner D9/699
D363,428 S * 10/1995 Halm D9/697
(75) Inventors: **Yoji Nobuto**, Tokyo (JP); **Ippei** D399,417 S * 10/1998 Meausoone D9/697
Murata, Tokyo (JP) D405,354 S * 2/1999 Meausoone D9/697
(73) Assignee: **Shiseido Co., Ltd.**, Tokyo (JP) D438,787 S * 3/2001 Heeter et al. D9/697
D501,409 S * 2/2005 Wass D9/695

(**) Term: **14 Years**

* cited by examiner

(21) Appl. No.: **29/233,215**

Primary Examiner—Stella Reid

Assistant Examiner—Mark Goodwin

(22) Filed: **Jun. 30, 2005**

(74) *Attorney, Agent, or Firm*—Manabu Kanesaka

(51) **LOC (8) Cl.** **09-01**

(57) **CLAIM**

(52) **U.S. Cl.** **D9/697**

(58) **Field of Classification Search** D9/695–699,
D9/711, 712, 723–729, 702, 442, 449, 450,
D9/440, 447; D28/7, 76–78; D14/114; D24/119;
141/114, 115; 222/92, 494, 386, 107, 106,
222/94, 212, 536, 507, 522, 531, 556
See application file for complete search history.

The ornamental design for a combined tube and cap, as shown and described.

DESCRIPTION

(56) **References Cited**

FIG. 1 is a perspective view of a combined tube and cap showing our new design;

FIG. 2 is a front view thereof, a rear view being the same as the front view;

FIG. 3 is a right side view thereof, a left side view being the same as the right side view;


FIG. 4 is a top plan view thereof; and,

FIG. 5 is a bottom plan view thereof.

U.S. PATENT DOCUMENTS

- 2,199,159 A * 4/1940 Hooper 222/92
- D136,477 S * 10/1943 Roselle D9/697
- D246,228 S * 11/1977 Hoy D9/697
- D312,405 S * 11/1990 Kenyon, Jr. D9/697
- D316,221 S * 4/1991 Dombroski D9/697
- D321,127 S * 10/1991 Dombroski D9/697
- D349,449 S * 8/1994 Linner D9/699

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5