



US00D549832S

(12) **United States Design Patent**  
**Estep**

(10) **Patent No.:** **US D549,832 S**

(45) **Date of Patent:** **\*\* Aug. 28, 2007**

(54) **CHILD VEST WITH AMBIDEXTROUS ARM SLING, POCKETS AND HARNESS**

(76) Inventor: **Alberta Sue Estep**, 402 Old Gravel 49, Mendenhall, MS (US) 39114

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/232,815**

(22) Filed: **Jun. 24, 2005**

(51) **LOC (8) Cl.** ..... **24-01**

(52) **U.S. Cl.** ..... **D24/190; D2/829; D2/839**

(58) **Field of Classification Search** ..... D24/190-2; 602/4-6, 20, 21, 60-2, 79; 128/878-9, 874, 128/77-8, 94, 165; 2/44-5, 92-4, 115

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,266,688	A *	5/1918	Kassner	.....	602/4
1,621,323	A *	3/1927	Horn	.....	602/4
D89,417	S *	3/1933	Uhrig et al.	.....	D24/190
2,512,474	A *	6/1950	Bakleschwieler	.....	602/4
2,560,243	A *	7/1951	Peterson	.....	602/4
3,559,640	A *	2/1971	Beckett	.....	602/4
D235,928	S *	7/1975	Moore	.....	D24/190
4,302,849	A *	12/1981	Margetson	.....	2/115
4,526,164	A *	7/1985	Bihl	.....	602/4
4,601,285	A *	7/1986	Whitchurch	.....	602/4
4,878,490	A *	11/1989	Scott	.....	602/20
5,095,894	A *	3/1992	Marble	.....	602/20
D381,429	S *	7/1997	Millwood	.....	D24/190

6,406,449	B1 *	6/2002	Moore et al.	.....	602/4
6,453,904	B1 *	9/2002	Wilson et al.	.....	128/874
6,595,936	B1 *	7/2003	Oladipo	.....	602/4
6,918,885	B2 *	7/2005	Moore et al.	.....	602/4
6,974,429	B2 *	12/2005	Moore et al.	.....	602/4
7,037,281	B1 *	5/2006	Jeffrey et al.	.....	602/4

\* cited by examiner

*Primary Examiner*—Louis S. Zarfaz

*Assistant Examiner*—Susan E Krakower

(57) **CLAIM**

The ornamental design for a child vest with ambidextrous arm sling, pockets and harness, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a child vest with ambidextrous arm sling, pockets and harness, showing my new design;


FIG. 2 is a front elevational view, thereof, with the harness removed for clarity;

FIG. 3 is a front left side perspective view, with the front right side being a mirror image thereof, harness removed for clarity; and,

FIG. 4 is a back elevational view thereof, with the harness removed for clarity.

It is understood that the broken lines within the claim design indicates stitching lines.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4