



US00D550062S

(12) **United States Design Patent** (10) **Patent No.:** **US D550,062 S**  
**Smaldone** (45) **Date of Patent:** **\*\* Sep. 4, 2007**

(54) **LOCK WITH TOWER**

(76) Inventor: **Alfonso Smaldone**, 4099 Ocean Ave.,  
Brooklyn, NY (US) 11235

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/254,147**

(22) Filed: **Feb. 16, 2006**

(51) **LOC (8) Cl.** ..... **08-07**

(52) **U.S. Cl.** ..... **D8/334**

(58) **Field of Classification Search** ..... D8/330-348;  
70/20-29, 53, 58, 233, 38 R, 38 A, 38 B,  
70/DIG. 9, DIG. 63, DIG. 70

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D316,955 S \* 5/1991 Goida et al. .... D8/334  
D372,187 S \* 7/1996 Ling ..... D8/334

(Continued)

OTHER PUBLICATIONS

Tamperseal.com, Searchalert TSA Luggage Locks: Searchalert Case  
TSA Lock, Apr. 27, 2006; Relevant p. 2 of 2.

*Primary Examiner*—Mitchell Siegel

(74) *Attorney, Agent, or Firm*—Steven Horowitz

(57) **CLAIM**

The ornamental design for a lock with tower, as shown and  
described.

**DESCRIPTION**

FIG. 1 is a front elevational view of the lock of the present  
invention showing my new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a right side view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a bottom view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a perspective view thereof;

FIG. 8 is a rear elevational view of a second embodiment of  
the present invention shown in FIG. 2 without the shackle  
blocker;

FIG. 9 is a perspective view of the second embodiment  
shown in FIG. 8;

FIG. 10 is a top view of the second embodiment shown in  
FIG. 8;

FIG. 11 is a front elevational view of a third embodiment of  
the lock of the present invention showing my new design;

FIG. 12 is a rear elevational view of the third embodiment  
of FIG. 11;

FIG. 13 is a right side view of the third embodiment of FIG.  
11;

FIG. 14 is a left side view of the third embodiment of FIG.  
11;


FIG. 15 is a bottom view of the third embodiment of FIG.  
11;

FIG. 16 is a top view of the third embodiment of FIG. 11;  
and,

FIG. 17 is a perspective view of the third embodiment of  
FIG. 11.

The broken line showing is included for the purpose of  
illustrating and forms no part of the claimed design.

**1 Claim, 5 Drawing Sheets**



# US D550,062 S

Page 2

---

## U.S. PATENT DOCUMENTS

D434,635 S	*	12/2000	Ruan	.....	D8/334	
D453,467 S	*	2/2002	Nakamura	.....	D8/334	
D472,790 S	*	4/2003	Lai	.....	D8/334	
						* cited by examiner
D486,720 S	*	2/2004	Ling	.....	D8/334	
D497,303 S	*	10/2004	Sun	.....	D8/334	
D535,548 S	*	1/2007	Lin	.....	D8/334	




FIG. 2




FIG. 1




FIG. 7




FIG. 4




FIG. 3




FIG. 5




FIG. 6




FIG. 9




FIG. 8




FIG. 10




FIG. 12

FIG. 11

