



US00D550067S

(12) **United States Design Patent**
Hsiao

(10) **Patent No.:** **US D550,067 S**

(45) **Date of Patent:** **** Sep. 4, 2007**

(54) **CORD RETAINER**

D506,124 S * 6/2005 Strickland et al. D8/358
7,175,473 B1 * 2/2007 Clapp et al. 439/501

(75) Inventor: **Hsiung-Ming Hsiao**, Taoyuan (TW)

* cited by examiner

(73) Assignee: **Taiwan Industrial Fastener Corporation**, Taipei (TW)

Primary Examiner—Robert M. Spear

Assistant Examiner—Susan Bennett Hattan

(74) *Attorney, Agent, or Firm*—Bacon & Thomas, PLLC

(**) Term: **14 Years**

(21) Appl. No.: **29/267,705**

(57) **CLAIM**

(22) Filed: **Oct. 20, 2006**

The ornamental design for a cord retainer, as shown and described.

(51) **LOC (8) Cl.** **08-05**

(52) **U.S. Cl.** **D8/356**

(58) **Field of Classification Search** D8/383,
D8/382, 356, 354, 349, 105, 395, 394, 358;
242/916, 600, 405.2, 405.1, 400.1, 177, 160.3,
242/159, 118; 439/501; 24/561; 248/214,
248/229.26, 316.7; D11/231, 218, 216
See application file for complete search history.

DESCRIPTION

FIG. 1 is a perspective view of a cord retainer showing my design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof; and,


FIG. 8 is a perspective view thereof. The cord shown in broken lines is for illustrative purposes only and forms no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D247,345 S * 2/1978 Mulholland D8/383
- D425,783 S * 5/2000 Ishida et al. D8/356
- 6,189,186 B1 * 2/2001 Boden 24/129 R
- D452,138 S * 12/2001 Murata D8/383
- D456,240 S * 4/2002 Liao D8/356

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8