



US00D550071S

(12) **United States Design Patent** (10) **Patent No.:** **US D550,071 S**
Powell et al. (45) **Date of Patent:** **** Sep. 4, 2007**

(54) **ANCHORING DEVICE**

(76) Inventors: **Brent Kirk Powell**, 9 Calder Close, Muxton, Telford, Shropshire (GB) TF2 8SW; **Michael John Powell**, 19 Wordsworth Way, Waters Edge, Priorslee, Telford, Shropshire (GB) TF7 4NY

(**) Term: **14 Years**

(21) Appl. No.: **29/238,520**

(22) Filed: **Sep. 16, 2005**

(30) **Foreign Application Priority Data**

Mar. 18, 2005 (EM) 000312707

(51) **LOC (8) Cl.** **08-08**

(52) **U.S. Cl.** **D8/387**

(58) **Field of Classification Search** D8/387, D8/388; 52/156, 157; 175/394; 248/156
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

168,890	A *	10/1875	Field	52/157
728,509	A *	5/1903	Pitcher	431/104
740,894	A *	10/1903	Monahan	52/156
781,221	A *	1/1905	Morris	52/156
815,588	A *	3/1906	Rooke	52/156
832,565	A *	10/1906	Wilson	52/157

(Continued)

FOREIGN PATENT DOCUMENTS

GB	3004655	6/2002
GB	3004656	6/2002
GB	3006466	8/2002
GB	3006467	8/2002
GB	3006468	8/2002
GB	3012277	4/2003

OTHER PUBLICATIONS

GB 3015263 Nov. 20, 2003 [online] [retrieved Jan. 22, 2007]. Retrieved from UK database.*
GB 3015262 Nov. 20, 2003 [online] [retrieved Jan. 22, 2007]. Retrieved from UK database.*
GB 3015264 Nov. 20, 2003 [online] [retrieved Jan. 22, 2007]. Retrieved from UK database.*
Powell., U.S. Appl. No. 29/192,298, filed Oct. 22, 2003.
Powell et al., U.S. Appl. No. 29/205,773, filed May 20, 2004.

Primary Examiner—Holly H. Baynham
Assistant Examiner—Sheryl Friedman
(74) *Attorney, Agent, or Firm*—Drinker Biddle & Reath LLP


(57) **CLAIM**

The ornamental design for an anchoring device, as shown and described.

DESCRIPTION

FIG. 1 is a side view of an anchoring device according to the new design;
FIG. 2 is a top view of the anchoring device of FIG. 1;
FIG. 3 is a bottom view of the anchoring device of FIG. 1;
FIG. 4 is a perspective view of the anchoring device of FIG. 1;
FIG. 5 is a further perspective view of the anchoring device of FIG. 1;
FIG. 6 is a side view of second embodiment of an anchoring device according to the new design;
FIG. 7 is a top plan view of the anchoring device of FIG. 6;
FIG. 8 is a bottom plan view of the anchoring device of FIG. 6;
FIG. 9 is a perspective view of the anchoring device of FIG. 6; and,
FIG. 10 is a further perspective view of the anchoring device of FIG. 6.

1 Claim, 10 Drawing Sheets



US D550,071 S

Page 2

U.S. PATENT DOCUMENTS

903,944 A *	11/1908	Andersen	52/156	2,653,688 A *	9/1953	Gordon	52/156
906,438 A *	12/1908	Lemerand	119/789	3,778,943 A *	12/1973	Day	52/157
907,799 A *	12/1908	Hawley	52/157	3,996,707 A *	12/1976	Frye	52/157
930,792 A *	8/1909	Perry	256/47	4,738,062 A *	4/1988	Dickey	52/157
995,297 A *	6/1911	Schroeder	52/157	5,098,057 A *	3/1992	Gran et al.	248/530
1,230,711 A *	6/1917	Hjermstad	52/157	5,135,192 A *	8/1992	Winkler	248/156
2,156,021 A *	4/1939	Little	135/118	5,454,435 A *	10/1995	Reinhardt	175/19
2,269,996 A *	1/1942	Webster	174/45 R	6,810,630 B2 *	11/2004	Chizmas	52/155

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10