



US00D550089S

(12) **United States Design Patent** (10) **Patent No.:** **US D550,089 S**
Omdoll et al. (45) **Date of Patent:** **** Sep. 4, 2007**

(54) **CHILLING UTENSIL**

(75) Inventors: **Paul Omdoll**, Waukesha, WI (US);
John Grosz, Waupun, WI (US); **David Stender**, Oshkosh, WI (US); **Michael Young**, Mukwonago, WI (US); **Jayson Pearl**, Shorewood, WI (US)

(73) Assignee: **The Colman Group, Inc.**, Elkhorn, WI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/243,285**

(22) Filed: **Nov. 22, 2005**

(51) **LOC (8) Cl.** **09-01**

(52) **U.S. Cl.** **D9/528; D15/79; D23/211.1**

(58) **Field of Classification Search** D9/448,
D9/516, 529, 523, 526, 527, 528, 559, 575;
D7/300.1, 398; D15/79, 80, 82, 89, 90; 215/379,
215/380, 382-395, 396, 400; 220/77.1, 216,
220/524.1, 525, 527; 206/565, 567.2, 600,
206/660, 890; D23/211, 211.1

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D205,166 S * 6/1966 Price D9/527
D227,345 S * 6/1973 Bell D9/527
D301,689 S * 6/1989 Fick et al. D23/211.1
D338,158 S * 8/1993 Poirier D23/211.1
D340,640 S * 10/1993 Ferguson et al. D23/211.1
5,301,829 A * 4/1994 Chrisco 220/521
D355,115 S * 2/1995 Chrisco D9/719

D358,548 S * 5/1995 Platte D9/527
D372,871 S * 8/1996 Thiermann et al. D23/211.1
D374,824 S * 10/1996 Rokus et al. D9/527
D408,739 S * 4/1999 Satterfield et al. D9/520
D413,516 S * 9/1999 Beaver D9/528
D414,422 S * 9/1999 Beaver D9/528
D417,622 S * 12/1999 Johnson et al. D9/528
D417,849 S * 12/1999 Beaver D9/528
D433,635 S * 11/2000 Chrisco et al. D9/527
D452,956 S * 1/2002 Hari et al. D9/527
D498,677 S * 11/2004 Darr et al. D9/528
D514,940 S * 2/2006 Darr et al. D9/527

* cited by examiner

Primary Examiner—Stella Reid

Assistant Examiner—Shanda C. Hill

(74) *Attorney, Agent, or Firm*—Boyle Fredrickson, SC

(57) **CLAIM**

The ornamental design for a chilling utensil, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a chilling utensil showing our new design;

FIG. 2 is a left side view the chilling utensil of FIG. 1, the right side view being a mirror image thereof;


FIG. 3 is a top view of the chilling utensil of FIG. 1;

FIG. 4 is bottom view of the chilling utensil of FIG. 1;

FIG. 5 is a front view of the chilling utensil of FIG. 1; and,

FIG. 6 is a rear view of the chilling utensil of FIG. 1.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6