



US00D550156S

(12) **United States Design Patent**
Riccomini et al.

(10) **Patent No.:** **US D550,156 S**

(45) **Date of Patent:** **** Sep. 4, 2007**

(54) **JACK AND RECEPTACLE FOR ATTACHING
A PERIPHERAL DEVICE TO A HANDHELD
DEVICE**

Primary Examiner—Daniel Bui
(74) *Attorney, Agent, or Firm*—Carr & Ferrell LLP

(75) Inventors: **Roy J. Riccomini**, Saratoga, CA (US);
Timothy D. Twerdahl, Los Altos, CA
(US); **Byron J. Connell**, Menlo Park,
CA (US); **Scott D. Lincke**, San Carlos,
CA (US); **Scott W. Summit**, San
Francisco, CA (US)

(57) **CLAIM**

The ornamental design for a jack and receptacle for attach-
ing a peripheral device to a handheld device, as shown and
described.

(73) Assignee: **Inventec Appliances Corporation**,
Taipei (TW)

DESCRIPTION

(**) Term: **14 Years**

FIG. 1 is a front elevation view of a jack and receptacle for
attaching a peripheral device to a handheld device, with the
jack in an up position, showing our new design;

(21) Appl. No.: **29/204,639**

FIG. 2 is a back view thereof;

(22) Filed: **Apr. 30, 2004**

FIG. 3 is a bottom plan view thereof;

(51) **LOC (8) Cl.** **13-03**

(52) **U.S. Cl.** **D13/133; D13/154**

(58) **Field of Classification Search** D13/133,
D13/149, 154, 184, 199; D14/204–205,
D14/221, 223; 381/74; 439/581, 884, 894
See application file for complete search history.

FIG. 4 is a left side elevation view thereof;

FIG. 5 is a front, bottom and left perspective view thereof;

FIG. 6 is a front elevation view of the jack and receptacle
for attaching a peripheral device to a handheld device, with
the jack in a down position;

FIG. 7 is a back view thereof;

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|-------------------|---------|-----------------|-------|------------|
| D314,964 S * | 2/1991 | Chung | | D14/192 |
| D340,453 S * | 10/1993 | Peersmann | | D14/189 |
| 5,687,230 A * | 11/1997 | Olausson et al. | | 379/420.02 |
| D415,111 S * | 10/1999 | Lee | | D13/154 |
| D436,920 S * | 1/2001 | Lee | | D13/133 |
| D508,484 S * | 8/2005 | Okada | | D14/223 |
| 2003/0142834 A1 * | 7/2003 | Stinnett et al. | | 381/74 |

FIG. 8 is a bottom plan view thereof;

FIG. 9 is a left side elevation view thereof;

FIG. 10 is a front, bottom and left side perspective view
thereof;


FIG. 11 is a front elevation view of a jack and receptacle for
attaching a peripheral device to a handheld device, in a
detached configuration; and,

FIG. 12 is a front, bottom and left perspective view thereof.

The broken line showing of the environment is for illustra-
tive purpose only and forms no part of the claimed design.

* cited by examiner

1 Claim, 12 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12