

US00D550365S

(12) **United States Design Patent**
Kitayama

(10) **Patent No.:** **US D550,365 S**

(45) **Date of Patent:** **** Sep. 4, 2007**

(54) **PROBE FOR AN ULTRASONIC DIAGNOSIS APPARATUS**

6,709,392 B1 *	3/2004	Salgo et al.	600/439
7,087,024 B1 *	8/2006	Pruter	600/461
2005/0131302 A1 *	6/2005	Poland	600/459

(75) Inventor: **Masahiko Kitayama**, Mitaka (JP)

FOREIGN PATENT DOCUMENTS

(73) Assignees: **Kabushiki Kaisha Toshiba (JP);**
Toshiba Medical Systems Corporation
(JP)

JP	1018627	8/1998
JP	1095570	1/2001
JP	1133882	2/2002
JP	1184944	9/2003

(**) Term: **14 Years**

* cited by examiner

(21) Appl. No.: **29/242,214**

Primary Examiner—Louis Zarfaz

Assistant Examiner—Mark Cavanna

(22) Filed: **Nov. 8, 2005**

(74) *Attorney, Agent, or Firm*—Banner & Witcoff, Ltd.

(51) **LOC (8) Cl.** **24-01**

(52) **U.S. Cl.** **D24/186**

(58) **Field of Classification Search** D24/186,
D24/187; D10/60; 128/660.01–660.09,
128/660.1, 662.03–662.06; 310/17, 334;
600/439, 443, 446, 459, 461

See application file for complete search history.

(57) **CLAIM**

The ornamental design for a probe for an ultrasonic diagnosis apparatus, as shown and described.

DESCRIPTION

(56) **References Cited**

U.S. PATENT DOCUMENTS

D316,376 S *	4/1991	Dubut	D10/60
D328,495 S *	8/1992	Ungari	D24/187
5,329,194 A *	7/1994	Dow et al.	310/17
5,482,047 A *	1/1996	Nordgren et al.	600/459
5,485,842 A *	1/1996	Quistgaard	600/443
D389,918 S *	1/1998	Ninomiya et al.	D24/186
D390,959 S *	2/1998	Mesaros et al.	D24/186
D392,044 S *	3/1998	Mesaros et al.	D24/186
5,752,517 A *	5/1998	Harman et al.	600/459
6,475,152 B1 *	11/2002	Kelly et al.	600/461

FIG. 1 is a front, top and left side perspective view of a probe for an ultrasonic diagnosis apparatus, showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;


FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a left side elevational view thereof; and,

FIG. 7 is a right side elevational view thereof.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5



FIG. 6



FIG. 7

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 550,365 S
APPLICATION NO. : 29/242214
DATED : September 4, 2007
INVENTOR(S) : Masahiko Kitayama

Page 1 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:


The title page should be deleted and substitute therefor the attached title page

On the Cover Page, Section (30) Foreign Application Priority Data:
Please Insert --Aug. 11, 2005 (JP) 2005-023433--

On Pages 2-4, Figures 1-7:
Please replace the figures labeled 1-7 with the figures labeled 1-7 on the appended sheets

Signed and Sealed this

Twenty-third Day of September, 2008



JON W. DUDAS
Director of the United States Patent and Trademark Office

(12) **United States Design Patent**
Kitayama

(10) **Patent No.:** **US D550,365 S**

(45) **Date of Patent:** **** Sep. 4, 2007**

(54) **PROBE FOR AN ULTRASONIC DIAGNOSIS APPARATUS**

6,709,392 B1 * 3/2004 Salgo et al. 600/439
 7,087,024 B1 * 8/2006 Pruter 600/461
 2005/0131302 A1 * 6/2005 Poland 600/459

(75) Inventor: **Masahiko Kitayama, Mitaka (JP)**

FOREIGN PATENT DOCUMENTS

(73) Assignees: **Kabushiki Kaisha Toshiba (JP);
 Toshiba Medical Systems Corporation (JP)**

JP 1018627 8/1998
 JP 1095570 1/2001
 JP 1133882 2/2002
 JP 1184944 9/2003

(**) Term: **14 Years**

* cited by examiner

(21) Appl. No.: **29/242,214**

Primary Examiner—Louis Zarfus
Assistant Examiner—Mark Cavanna
 (74) *Attorney, Agent, or Firm*—Banner & Witcoff, Ltd.

(22) Filed: **Nov. 8, 2005**

(51) **LOC (8) Cl.** **24-01**

(52) **U.S. Cl.** **D24/186**

(58) **Field of Classification Search** D24/186,
 D24/187; D10/60; 128/660.01 660.09,
 128/660.1, 662.03–662.06; 310/17, 334;
 600/439, 443, 446, 459, 461

(57) **CLAIM**

See application file for complete search history.

The ornamental design for a probe for an ultrasonic diagnosis apparatus, as shown and described.

DESCRIPTION

(56) **References Cited**

U.S. PATENT DOCUMENTS

D316,376 S * 4/1991 Dubut D10/60
 D328,495 S * 8/1992 Ungari D24/187
 5,329,194 A * 7/1994 Dow et al. 310/17
 5,482,047 A * 1/1996 Nordgren et al. 600/459
 5,485,842 A * 1/1996 Quistgaard 600/443
 D389,918 S * 1/1998 Ninomiya et al. D24/186
 D390,959 S * 2/1998 Mesaros et al. D24/186
 D392,044 S * 3/1998 Mesaros et al. D24/186
 5,752,517 A * 5/1998 Harman et al. 600/459
 6,475,152 B1 * 11/2002 Kelly et al. 600/461

FIG. 1 is a front, top and left side perspective view of a probe for an ultrasonic diagnosis apparatus, showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;


FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a left side elevational view thereof; and,

FIG. 7 is a right side elevational view thereof.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7