

## (12) United States Design Patent (10) Patent No.: US D550,428 S Kern (45) Date of Patent: \*\* Sep. 11, 2007

### (54) FLAP FOR A GARMENT

(76) Inventor: Jeanette Roberson Kern, 10523Berclair, Houston, TX (US) 77038

(\*\*) Term: 14 Years

(21) Appl. No.: 29/229,070

(22) Filed: May 2, 2005

6,789,269 B1*	9/2004	Scovin 2/227
D505,535 S *	5/2005	Kern D2/742

#### \* cited by examiner

Primary Examiner—Ian Simmons
Assistant Examiner—R. Johnson
(74) Attorney, Agent, or Firm—Kenneth A. Roddy

(57) **CLAIM** 

(51)	LOC (8) Cl 02	2-02
(52)	U.S. Cl	742
(58)	Field of Classification Search D2/712–7	714,
	D2/716, 742–748, 857; 2/2.17, 22, 23,	69,
	2/71, 72, 76, 79, 221, 227, 228, 247, 231-2	238,
	2/267, 911,	919
	See application file for complete search history.	
(EC)		

(56) **References Cited** 

#### U.S. PATENT DOCUMENTS

34,635 A	*	3/1862	Herron 2/227
498,951 A	*	6/1893	Birnbaum 2/237
1,783,538 A	*	12/1930	Herskowitz 2/79
2,347,354 A	*	4/1944	Leubrie 2/235
2,923,009 A	*	2/1960	Cookman 2/227
3,246,342 A	*	4/1966	Pagano 2/227
5,068,920 A	*	12/1991	Bray 2/456
5,794,267 A	*	8/1998	Wallace 2/227
5,822,802 A	*	10/1998	Chou 2/227
D410,689 S	*	6/1999	Slokevage D2/857
6,327,715 B	1 *	12/2001	Castiglione 2/267

The ornamental design for a flap for a garment, as shown and described.

## DESCRIPTION

FIG. 1 is a right side view of a flap for a garment showing my new design in the closed condition, the opposite side being a mirror image;

FIG. 2 is a rear perspective view thereof, shown in the closed condition;

FIG. **3** is a right side view thereof, shown in an open condition, the opposite side being a mirror image thereof; and,

FIG. **4** is a rear perspective view thereof, shown in the open condition.

In all of the figures, the claimed design being represented inside the unbroken solid lines and the broken lines partially showing a garment are for illustrative purposes only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets





#### **U.S. Patent** US D550,428 S Sep. 11, 2007 Sheet 1 of 2







# Fig. 1

Fig. 2

#### **U.S.** Patent US D550,428 S Sep. 11, 2007 Sheet 2 of 2







