



US00D550778S

(12) **United States Design Patent**
Cooper

(10) **Patent No.:** **US D550,778 S**

(45) **Date of Patent:** **** *Sep. 11, 2007**

(54) **RATTLING BASKETBALL NOISEMAKER**

DESCRIPTION

(76) Inventor: **Gary Cooper**, 331 Knipp Forest,
Houston, TX (US) 77024

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/252,765**

(22) Filed: **Jan. 26, 2006**

(51) **LOC (8) Cl.** **21-01**

(52) **U.S. Cl.** **D21/406; D21/713**

(58) **Field of Classification Search** D21/398,
D21/405, 406–408, 707–714; D3/211, 238,
D3/271.9; D7/901; D9/668; D10/6, 33; D11/44,
D11/81; D17/22, 99; D20/29, 42; 446/418–422;
84/402–420

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,454,204	A	*	6/1984	Posey	428/542.4
D392,467	S	*	3/1998	Oldham	D6/303
D446,267	S	*	8/2001	Feeney et al.	D21/713
6,346,664	B1	*	2/2002	Shuen	84/402
D459,750	S	*	7/2002	Cohen	D17/22
6,464,558	B1	*	10/2002	Ayres	446/419
6,817,922	B1	*	11/2004	Davies	446/418
D508,092	S	*	8/2005	Williams-Nicholas	D21/405
D511,191	S	*	11/2005	Fryer	D21/713
2001/0034177	A1	*	10/2001	Hunn	446/73
2002/0077022	A1	*	6/2002	Williams	446/268

* cited by examiner

Primary Examiner—Catherine Tuttle

(74) *Attorney, Agent, or Firm*—Fulbright & Jaworski LLP

(57) **CLAIM**

What is claimed the ornamental design for the rattling basketball noisemaker, as shown and described.

The design is used as a noisemaker and souvenir for sporting events; and includes a textured surface with two non-raised smooth areas providing for promotional content. One embodiment includes an eyelet providing for the addition of a carrying strap.

FIG. 1 shows an isometric view of a first embodiment of the rattling basketball noisemaker, which excludes the eyelet that is shown in phantom lines for illustrative purposes;

FIG. 2 shows a top plan view of the rattling basketball noisemaker of FIG. 1;

FIG. 3 shows a bottom plan view of the rattling basketball noisemaker of FIG. 1;

FIG. 4 shows a front elevation view of the rattling basketball noisemaker of FIG. 1;

FIG. 5 shows a back elevation view of the rattling basketball noisemaker of FIG. 1;

FIG. 6 shows a left side elevation view of the rattling basketball noisemaker of FIG. 1;

FIG. 7 shows a right side elevation view of the rattling basketball noisemaker of FIG. 1.

FIG. 8 shows an isometric view of an alternate embodiment of the rattling basketball noisemaker, which includes the eyelet;

FIG. 9 shows a top plan view of the rattling basketball noisemaker of FIG. 8;

FIG. 10 shows a bottom plan view of the rattling basketball noisemaker of FIG. 8;

FIG. 11 shows a front elevation view of the rattling basketball noisemaker of FIG. 8;

FIG. 12 shows a back elevation view of the rattling basketball noisemaker of FIG. 8;

FIG. 13 shows a left side elevation view of the rattling basketball noisemaker of FIG. 8; and,

FIG. 14 shows a right side elevation view of the rattling basketball noisemaker of FIG. 8.

1 Claim, 4 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14

