



US00D550868S

(12) **United States Design Patent**  
**Egawa et al.**

(10) **Patent No.:** **US D550,868 S**

(45) **Date of Patent:** **\*\* Sep. 11, 2007**

(54) **LIGHT EMITTING DIODE LAMP**

(75) Inventors: **Kazuo Egawa**, Tokyo (JP); **Takayoshi Moriyama**, Tokyo (JP); **Masami Iwamoto**, Tokyo (JP); **Masahiro Toda**, Tokyo (JP)

(73) Assignee: **Toshiba Lighting & Technology Corporation**, Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/237,214**

(22) Filed: **Aug. 26, 2005**

(30) **Foreign Application Priority Data**

Feb. 28, 2005 (JP) ..... 2005-005743

(51) **LOC (8) Cl.** ..... **26-04**

(52) **U.S. Cl.** ..... **D26/24; D26/1**

(58) **Field of Classification Search** ..... D26/1, D26/2, 24, 25, 26, 37, 50, 72, 77, 80-81, D26/83, 85-6, 88-9, 102, 118, 120-4, 152; D13/180, 182; 362/84, 157, 183-4, 227, 362/235-7, 249, 257, 317, 341-2, 551, 555, 362/611-3, 640-1, 644, 652, 800

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D222,102 S \* 9/1971 Schwartz et al. .... D26/122
- D234,800 S \* 4/1975 Swartz ..... D26/24
- D272,656 S \* 2/1984 Parker ..... D26/65
- 5,660,461 A \* 8/1997 Ignatius et al. .... 362/241
- 6,142,647 A \* 11/2000 Hayakawa ..... 362/230
- D462,130 S \* 8/2002 Kotler ..... D25/163
- D476,962 S \* 7/2003 Yoshihira et al. .... D13/182
- D488,137 S \* 4/2004 Kamada ..... D13/182
- D494,288 S \* 8/2004 Matsui et al. .... D26/2

- D503,930 S \* 4/2005 Asakawa ..... D13/180
- D524,978 S \* 7/2006 Bellaloum ..... D26/102
- 2006/0087843 A1 \* 4/2006 Setomoto et al. .... 362/249

**OTHER PUBLICATIONS**

John Lui, LEDs, shining flatly, Feb. 27, 2003, ZDNet Asia, <http://www.zdnetasia.com/news/internet/0,39044246,39116300,00.htm>.\*

\* cited by examiner

*Primary Examiner*—Ian Simmons

*Assistant Examiner*—Angela J. Lee

(74) *Attorney, Agent, or Firm*—J.C. Patents

(57) **CLAIM**

The ornamental design for a light emitting diode lamp, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a light emitting diode lamp showing the new design.

FIG. 2 is a front view thereof.

FIG. 3 is a rear view thereof.

FIG. 4 is a left side view thereof.

FIG. 5 is a right side view thereof.


FIG. 6 is a top plan view thereof, and bottom plan view being a mirror image of the top plan view.

FIG. 7 is an enlarged cross-sectional view taken along line 7—7 in FIG. 2 with the internal parts omitted, wherein the portions having the double slanted lines are transparent.

FIG. 8 is an enlarged cross-sectional view taken along line 8—8 in FIG. 2 with the internal parts omitted, wherein the portions having the double slanted lines are transparent; and,

FIG. 9 is an enlarged end-elevational view taken along line 9—9 in FIG. 2 with the internal parts omitted, wherein the portions having the double slanted lines are transparent.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9