



US00D550935S

(12) **United States Design Patent** (10) **Patent No.:** **US D550,935 S**  
**Issler** (45) **Date of Patent:** **\*\* Sep. 18, 2007**

(54) **SHOE**  
(75) Inventor: **David C. Issler**, North Andover, MA (US)  
(73) Assignee: **Columbia Insurance Company**, Omaha, NE (US)  
(\*\*) Term: **14 Years**  
(21) Appl. No.: **29/254,845**  
(22) Filed: **Feb. 28, 2006**  
(51) **LOC (8) Cl.** ..... **02-04**  
(52) **U.S. Cl.** ..... **D2/916**  
(58) **Field of Classification Search** ..... D2/916,  
D2/896, 917, 923-925, 926, 927, 969; 36/11.5,  
36/50.1

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,974,543 A	9/1934	Reymond	12/142
2,046,217 A	6/1936	Strauss	36/72
2,079,237 A	5/1937	Allard	36/72
2,160,768 A	5/1939	Wasser	36/72
2,344,069 A	3/1944	Wasser	36/72
3,091,871 A	6/1963	Tronche	36/72
3,175,310 A	3/1965	MacQuaid	36/72
3,175,311 A	3/1965	MacQuaid	36/72
3,191,321 A	6/1965	Brutting	36/2.5
3,213,551 A	10/1965	Krauss	36/2.5
3,407,518 A	10/1968	MacQuaid et al.	36/72
3,525,165 A	8/1970	Randall, Jr.	36/2.5
3,561,142 A	2/1971	Streit, Sr. et al.	36/72
D250,738 S *	1/1979	Foldes	D2/916
4,231,170 A	11/1980	Griswold	36/72
4,366,629 A	1/1983	Scherz	36/4
4,562,652 A	1/1986	Hensler	36/102
4,908,963 A	3/1990	Krajcir et al.	36/77
4,995,174 A	2/1991	Hong et al.	36/72
5,048,203 A	9/1991	Kling	36/32
D321,775 S *	11/1991	Barcanic	D2/916

5,185,944 A	2/1993	Okajima	36/45
D352,382 S *	11/1994	Chuang	D2/917
5,499,459 A	3/1996	Tomaro	36/10
5,526,584 A	6/1996	Bleimhofer et al.	36/10
5,738,937 A	4/1998	Baychar	428/316.6
D446,633 S *	8/2001	Ferris	D2/917
D452,066 S *	12/2001	Dean	D2/969
D455,540 S *	4/2002	Fletcher et al.	D2/916
D461,301 S *	8/2002	Urie	D2/969

\* cited by examiner

*Primary Examiner*—Stella Reid  
*Assistant Examiner*—Rashida C. McCoy  
(74) *Attorney, Agent, or Firm*—St. Onge Steward Johnston & Reens LLC

(57) **CLAIM**

The ornamental design for a shoe, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of a shoe in accordance with the new design;

FIG. 2 is a top view thereof;

FIG. 3 is a bottom perspective view thereof;

FIG. 4 is a bottom view thereof;

FIG. 5 is a close up view of the area indicated as 5 shown in FIG. 4;

FIG. 6 is a right side view thereof;

FIG. 7 is a left side view thereof;

FIG. 8 is a front view thereof;


FIG. 9 is a back view thereof;

FIG. 10 is a close up view of the area indicated as 10 shown in FIG. 4;

FIG. 11 is a cross sectional view taken along line 11—11 shown in FIG. 6; and,

FIG. 12 is a cross sectional view taken along line 12—12 shown in FIG. 6.

**1 Claim, 8 Drawing Sheets**







FIG. 1



*FIG. 2*




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




*FIG. 8*




*FIG. 9*






*FIG. 10*



*FIG. 11*



*FIG. 12*