



US00D551066S

(12) **United States Design Patent**  
**Takahashi**

(10) **Patent No.:** **US D551,066 S**

(45) **Date of Patent:** **\*\* Sep. 18, 2007**

(54) **CORD END STOPPER**

(57) **CLAIM**

(75) Inventor: **Yoshinobu Takahashi**, Kurobe (JP)

The ornamental design for a cord end stopper, as shown and described.

(73) Assignee: **YKK Corporation**, Tokyo (JP)

(\*\*) Term: **14 Years**

**DESCRIPTION**

(21) Appl. No.: **29/244,453**

(22) Filed: **Dec. 9, 2005**

(30) **Foreign Application Priority Data**

Jul. 14, 2005 (JP) ..... 2005-020603

(51) **LOC (8) Cl.** ..... **08-08**

(52) **U.S. Cl.** ..... **D8/383**

(58) **Field of Classification Search** ..... D8/356,  
D8/383, 394-396; 24/115 M, 115 R, 136 R;  
D11/212, 215; D2/978

See application file for complete search history.

FIG. 1 is a front view of a cord end stopper of the claimed design.

FIG. 2 is a right side view of the cord end stopper of FIG. 1.

FIG. 3 is a top view of the cord end stopper of FIG. 1.

FIG. 4 is a bottom view of the cord end stopper of FIG. 1.

FIG. 5 is a perspective view of the cord end stopper of FIG. 1.

FIG. 6 is a front view of a socket part of the cord end stopper of FIG. 1.

FIG. 7 is a right side view of the socket part of FIG. 6.

FIG. 8 is a top view of the socket part of FIG. 6.

FIG. 9 is a bottom view of the socket part of FIG. 6.

FIG. 10 is a perspective view of the socket part of FIG. 6.

FIG. 11 is a front view of a plug part of the cord end stopper of FIG. 1.

FIG. 12 is a rear view of the plug part of FIG. 11.

FIG. 13 is a front view of the plug part of FIG. 11.

FIG. 14 is a bottom view of the plug part of FIG. 11.

FIG. 15 is a right side view of the plug part of FIG. 11.

FIG. 16 is a perspective view of the plug part of FIG. 11; and,

FIG. 17 is a perspective reference view of the cord end stopper of FIG. 1, showing it in use.

The broken line showing of the cord is included for the purpose of illustrating environmental structure and forms no part of the claimed design.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,622,723 A \* 11/1986 Krauss ..... 24/115 G  
D343,570 S \* 1/1994 Meier ..... D8/383  
5,671,505 A \* 9/1997 Anscher ..... 24/115 G  
D399,045 S \* 10/1998 Liston ..... D2/978  
D402,190 S \* 12/1998 Anscher ..... D8/383  
D417,388 S \* 12/1999 Kawahara ..... D8/383  
6,018,851 A \* 2/2000 Anscher ..... 24/115 G

(Continued)

**OTHER PUBLICATIONS**


Universal Mercantile Exchange [online] Universal Mercantile Exchange, 2005 [retrieved on Apr. 11, 2007] Retrieved from www.umei.com/stoppers/stoppers-1-10.htm.\*

*Primary Examiner*—Holly H. Baynham

*Assistant Examiner*—Sheryl Friedman

(74) *Attorney, Agent, or Firm*—Everest Intellectual Property Law Group; Michael S. Leonard

**1 Claim, 7 Drawing Sheets**



# US D551,066 S

Page 2

---

## U.S. PATENT DOCUMENTS

6,038,746	A	*	3/2000	Anscher et al. ....	24/115	G		
D425,783	S	*	5/2000	Ishida et al. ....	D8/383			
D430,484	S	*	9/2000	Ikeda .....	D8/383			
D439,148	S	*	3/2001	Ishii .....	D8/383			
D451,005	S	*	11/2001	Murata .....	D8/383			
D451,369	S	*	12/2001	Murata .....	D8/383			
D454,777	S	*	3/2002	Yoshiguchi .....	D8/383			
D477,772	S	*	7/2003	Nezu .....	D8/383			
6,658,704	B2	*	12/2003	Buscart .....	24/115	G		
D507,736	S	*	7/2005	Wolfberg .....	D8/383			

\* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16






FIG. 17

