



US00D551066S

(12) **United States Design Patent**
Takahashi

(10) **Patent No.:** **US D551,066 S**

(45) **Date of Patent:** **** Sep. 18, 2007**

(54) **CORD END STOPPER**

(75) Inventor: **Yoshinobu Takahashi**, Kurobe (JP)

(73) Assignee: **YKK Corporation**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/244,453**

(22) Filed: **Dec. 9, 2005**

(30) **Foreign Application Priority Data**

Jul. 14, 2005 (JP) 2005-020603

(51) **LOC (8) Cl.** **08-08**

(52) **U.S. Cl.** **D8/383**

(58) **Field of Classification Search** D8/356,
D8/383, 394-396; 24/115 M, 115 R, 136 R;
D11/212, 215; D2/978

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,622,723	A *	11/1986	Krauss	24/115 G
D343,570	S *	1/1994	Meier	D8/383
5,671,505	A *	9/1997	Anscher	24/115 G
D399,045	S *	10/1998	Liston	D2/978
D402,190	S *	12/1998	Anscher	D8/383
D417,388	S *	12/1999	Kawahara	D8/383
6,018,851	A *	2/2000	Anscher	24/115 G

(Continued)

OTHER PUBLICATIONS

Universal Mercantile Exchange [online] Universal Mercantile Exchange, 2005 [retrieved on Apr. 11, 2007] Retrieved from www.umei.com/stoppers/stoppers-1-10.htm.*

Primary Examiner—Holly H. Baynham

Assistant Examiner—Sheryl Friedman

(74) *Attorney, Agent, or Firm*—Everest Intellectual Property Law Group; Michael S. Leonard

(57) **CLAIM**

The ornamental design for a cord end stopper, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a cord end stopper of the claimed design.

FIG. 2 is a right side view of the cord end stopper of FIG. 1.

FIG. 3 is a top view of the cord end stopper of FIG. 1.

FIG. 4 is a bottom view of the cord end stopper of FIG. 1.

FIG. 5 is a perspective view of the cord end stopper of FIG. 1.

FIG. 6 is a front view of a socket part of the cord end stopper of FIG. 1.

FIG. 7 is a right side view of the socket part of FIG. 6.

FIG. 8 is a top view of the socket part of FIG. 6.

FIG. 9 is a bottom view of the socket part of FIG. 6.

FIG. 10 is a perspective view of the socket part of FIG. 6.

FIG. 11 is a front view of a plug part of the cord end stopper of FIG. 1.

FIG. 12 is a rear view of the plug part of FIG. 11.

FIG. 13 is a front view of the plug part of FIG. 11.

FIG. 14 is a bottom view of the plug part of FIG. 11.


FIG. 15 is a right side view of the plug part of FIG. 11.

FIG. 16 is a perspective view of the plug part of FIG. 11; and,

FIG. 17 is a perspective reference view of the cord end stopper of FIG. 1, showing it in use.

The broken line showing of the cord is included for the purpose of illustrating environmental structure and forms no part of the claimed design.

1 Claim, 7 Drawing Sheets



US D551,066 S

Page 2

U.S. PATENT DOCUMENTS

6,038,746	A	*	3/2000	Anscher et al.	24/115	G		
D425,783	S	*	5/2000	Ishida et al.	D8/383			
D430,484	S	*	9/2000	Ikeda	D8/383			
D439,148	S	*	3/2001	Ishii	D8/383			
D451,005	S	*	11/2001	Murata	D8/383			
D451,369	S	*	12/2001	Murata	D8/383			
D454,777	S	*	3/2002	Yoshiguchi	D8/383			
D477,772	S	*	7/2003	Nezu	D8/383			
6,658,704	B2	*	12/2003	Buscart	24/115	G		
D507,736	S	*	7/2005	Wolfberg	D8/383			

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17

