



US00D551309S

(12) **United States Design Patent**
Sims et al.

(10) **Patent No.:** **US D551,309 S**

(45) **Date of Patent:** **** Sep. 18, 2007**

(54) **WIELDED INSTRUMENT VIBRATION
DAMPENER**

(75) Inventors: **Steven C. Sims**, Shelton, WA (US);
Gary Sims, Shelton, WA (US);
Jonathan F. Seil, Shelton, WA (US)

(73) Assignee: **Steven Sims, Inc.**, Shelton, WA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/214,408**

(22) Filed: **Sep. 30, 2004**

(51) **LOC (8) Cl.** **21-02**

(52) **U.S. Cl.** **D21/753**

(58) **Field of Classification Search** D22/100,
D22/107; 124/86-89; D10/96; D21/753,
D21/789, 791

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D385,006 S * 10/1997 Sims D21/753
D406,301 S * 3/1999 Fitzgerald, Jr. D22/107
D410,272 S * 5/1999 Fitzgerald, Jr. D22/107

D442,251 S * 5/2001 Fitzgerald, Jr. D22/107
6,494,196 B2 * 12/2002 Harwath et al. 124/89
6,712,059 B2 * 3/2004 Donovan 124/89
D498,806 S * 11/2004 Sims D21/753
D499,159 S * 11/2004 Sims D21/753
D504,479 S * 4/2005 Sims D21/753

* cited by examiner

Primary Examiner—Louis S. Zarfes

Assistant Examiner—Melanie Levy

(74) *Attorney, Agent, or Firm*—Richard D. Muller

(57) **CLAIM**

The ornamental design for a welded instrument vibration dampener, substantially as shown and described.

DESCRIPTION

FIG. 1 is a rotated view of a welded instrument vibration dampener embodying my new design;
FIG. 2 is a left side view thereof;
FIG. 3 is a right side view thereof;
FIG. 4 is a front view thereof;
FIG. 5 is a rear view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

