



US00D551369S

(12) **United States Design Patent**
Mah

(10) **Patent No.:** **US D551,369 S**

(45) **Date of Patent:** **** Sep. 18, 2007**

(54) **FLASHLIGHT**

D535,418 S * 1/2007 Martin D26/37

* cited by examiner

(75) Inventor: **Pat Y. Mah**, Kowloon (HK)

Primary Examiner—Marcus A. Jackson

(73) Assignee: **Daka Research Inc. (Br. Virg. Isl Corp.) OffshoreIncorporations**, Tortolla (VG)

(74) *Attorney, Agent, or Firm*—Harrington & Harrington; Curtis L. Harrington; Kathy E. Harrington

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/285,240**

The ornamental design for a flashlight, as shown and described.

(22) Filed: **Mar. 22, 2007**

DESCRIPTION

(51) **LOC (8) Cl.** **26-02**

FIG. 1 is a perspective view prominently showing the wall plug support side of a flashlight;

(52) **U.S. Cl.** **D26/37**

FIG. 2 is a perspective view prominently showing the slide switch control side of the flashlight;

(58) **Field of Classification Search** D26/37–50;

FIG. 3 is a front end view;

362/157, 158, 171–174, 183–208

FIG. 4 is a right side view;

See application file for complete search history.

FIG. 5 is a bottom view;

(56) **References Cited**

FIG. 6 is a left side view;

U.S. PATENT DOCUMENTS

FIG. 7 is a top view; and,


D484,996 S * 1/2004 Krieger et al. D26/37

FIG. 8 is a rear end view.

D504,187 S * 4/2005 Man D26/37

D504,529 S * 4/2005 Vickers et al. D26/37

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8