



US00D551369S

(12) **United States Design Patent**  
**Mah**

(10) **Patent No.:** **US D551,369 S**

(45) **Date of Patent:** **\*\* Sep. 18, 2007**

(54) **FLASHLIGHT**

D535,418 S \* 1/2007 Martin ..... D26/37

\* cited by examiner

(75) Inventor: **Pat Y. Mah**, Kowloon (HK)

*Primary Examiner*—Marcus A. Jackson

(73) Assignee: **Daka Research Inc. (Br. Virg. Isl Corp.) OffshoreIncorporations**, Tortolla (VG)

(74) *Attorney, Agent, or Firm*—Harrington & Harrington; Curtis L. Harrington; Kathy E. Harrington

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/285,240**

The ornamental design for a flashlight, as shown and described.

(22) Filed: **Mar. 22, 2007**

**DESCRIPTION**

(51) **LOC (8) Cl.** ..... **26-02**

FIG. 1 is a perspective view prominently showing the wall plug support side of a flashlight;

(52) **U.S. Cl.** ..... **D26/37**

FIG. 2 is a perspective view prominently showing the slide switch control side of the flashlight;

(58) **Field of Classification Search** ..... D26/37–50;

FIG. 3 is a front end view;

362/157, 158, 171–174, 183–208

FIG. 4 is a right side view;

See application file for complete search history.

FIG. 5 is a bottom view;

(56) **References Cited**

FIG. 6 is a left side view;

**U.S. PATENT DOCUMENTS**

FIG. 7 is a top view; and,


FIG. 8 is a rear end view.


D484,996 S \* 1/2004 Krieger et al. .... D26/37

D504,187 S \* 4/2005 Man ..... D26/37


D504,529 S \* 4/2005 Vickers et al. .... D26/37

**1 Claim, 2 Drawing Sheets**







*Fig. 1*




*Fig. 2*




*Fig. 3*




*Fig. 4*




*Fig. 5*



*Fig. 6*



*Fig. 7*



*Fig. 8*