



US00D551483S

(12) **United States Design Patent** (10) **Patent No.:** **US D551,483 S**
Goodman et al. (45) **Date of Patent:** **** Sep. 25, 2007**

(54) **STORAGE SYSTEM**

D322,993 S 1/1992 Hobson
D353,735 S 12/1994 English

(75) Inventors: **Sheldon H. Goodman**, Solon, OH
(US); **Kent W. Murphy**, Wooster, OH
(US)

(Continued)

(73) Assignee: **Spectrum Diversified Designs, Inc.**,
Streetsboro, OH (US)

Primary Examiner—Brian N Vinson
(74) *Attorney, Agent, or Firm*—Pearne & Gordon LLP

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/268,716**

The ornamental design for a storage system, as shown and described.

(22) Filed: **Nov. 9, 2006**

DESCRIPTION

(51) **LOC (8) Cl.** **06-04**

FIG. 1 is a perspective view of a storage system showing our new design;

(52) **U.S. Cl.** **D6/566**

FIG. 2 is a side elevational view thereof;

(58) **Field of Classification Search** D6/566,

FIG. 3 is a top plan view thereof;

D6/567, 553; D19/65, 75, 78, 86, 90–91,

FIG. 4 is a front elevational view thereof;

D19/99–100; 211/10, 11, 13.1, 45, 50, 52,

FIG. 5 is a rear elevational view thereof;

211/55, 87.01, 90.03, 119.005, 126.9, 126.11

FIG. 6 is a bottom plan view thereof;

See application file for complete search history.

FIG. 7 is a perspective view of a second embodiment which shows a four-bin storage system;

(56) **References Cited**

U.S. PATENT DOCUMENTS

FIG. 8 is a front elevational view thereof;

| | | |
|-------------|---------|-------------------|
| 1,386,878 A | 8/1921 | Lamp |
| 1,738,821 A | 12/1929 | Gibson |
| 2,916,161 A | 12/1959 | Schaefer |
| 2,968,418 A | 1/1961 | Stoddard |
| 3,478,914 A | 11/1969 | Williams |
| 4,190,167 A | 2/1980 | Wells et al. |
| D257,824 S | 1/1981 | Puccini et al. |
| D275,918 S | 10/1984 | Taylor |
| 4,510,872 A | 4/1985 | Parry |
| D280,466 S | 9/1985 | Seltzer et al. |
| D289,122 S | 4/1987 | Meyer et al. |
| D289,181 S | 4/1987 | Solomon |
| 4,795,182 A | 1/1989 | Dyess et al. |
| D303,005 S | 8/1989 | Lloyd et al. |
| D310,760 S | 9/1990 | Murphy |
| D310,761 S | 9/1990 | Mervar et al. |
| D314,488 S | 2/1991 | Aaldenberg et al. |
| D321,446 S | 11/1991 | Liptak |

FIG. 9 is a side elevational view thereof;

FIG. 10 is a rear elevational view thereof;


FIG. 11 is a top plan view thereof;

FIG. 12 is a bottom plan view thereof; and,

FIG. 13 is a perspective view of a third embodiment of a storage system. The jagged broken lines form no part of the claimed design and the subject matter between the jagged lines is broken away to disclose indeterminate length and the storage system may include two or more bins.

The broken-line disclosure of elements in the views is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 8 Drawing Sheets



US D551,483 S

Page 2

U.S. PATENT DOCUMENTS

| | | | | | | | |
|--------------|---------|-------------------|--------|--------------|---------|----------------------|--------|
| D364,297 S * | 11/1995 | Daniel | D6/566 | D481,761 S | 11/2003 | Walsh et al. | |
| 5,542,551 A | 8/1996 | Smith | | D485,307 S | 1/2004 | Sheldon et al. | |
| D391,990 S | 3/1998 | Wolff | | D486,185 S | 2/2004 | Sheldon et al. | |
| 5,769,247 A | 6/1998 | Merl | | D488,659 S * | 4/2004 | Post et al. | D6/566 |
| D407,930 S | 4/1999 | Camilleri et al. | | D488,660 S * | 4/2004 | Post et al. | D6/566 |
| 6,285,544 B1 | 9/2001 | Chandramohan | | D497,070 S * | 10/2004 | Tipping | D6/566 |
| D458,640 S * | 6/2002 | Hofman | D6/566 | D498,264 S | 11/2004 | Chen et al. | |
| D472,735 S | 4/2003 | Haugen | | D508,321 S * | 8/2005 | Anderson et al. | D3/304 |
| D475,411 S * | 6/2003 | Hardy et al. | D6/566 | D530,962 S * | 10/2006 | Wood | D6/566 |

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

FIG. 7




FIG. 8





FIG. 9







FIG. 11



FIG. 12

FIG. 13

