



US00D551579S

(12) **United States Design Patent**
Kano et al.

(10) **Patent No.:** **US D551,579 S**

(45) **Date of Patent:** **** Sep. 25, 2007**

(54) **COLORIMETER**

2005/0068520 A1 * 3/2005 Beimers et al. 356/72
2005/0117146 A1 * 6/2005 Jung et al. 356/72

(75) Inventors: **Katsuaki Kano**, Matsuyama (JP);
Yoshiyuki Fukuoka, Matsuyama (JP)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Miura Co., Ltd.**, Matsuyama-Shi (JP)

JP 1035516 * 4/1999

(**) Term: **14 Years**

* cited by examiner

(21) Appl. No.: **29/262,036**

Primary Examiner—Antoine D. Davis
(74) *Attorney, Agent, or Firm*—Birch, Stewart, Kolasch & Birch, LLP

(22) Filed: **Jun. 26, 2006**

(30) **Foreign Application Priority Data**

Dec. 27, 2005 (JP) 2005-038343

(57) **CLAIM**

The ornamental design for a colorimeter, as shown and described.

(51) **LOC (8) Cl.** **10-04**

DESCRIPTION

(52) **U.S. Cl.** **D10/81**

(58) **Field of Classification Search** D10/81;
356/73, 402-425

FIG. 1 is a front view of a colorimeter showing our new design;

See application file for complete search history.

FIG. 2 is a rear view thereof;

FIG. 3 is a left side view thereof;

(56) **References Cited**

U.S. PATENT DOCUMENTS

D336,444 S * 6/1993 Anderson et al. D10/81

D403,259 S * 12/1998 Tsubota et al. D10/81

6,244,863 B1 * 6/2001 Rawicz et al. 433/26

6,798,517 B2 * 9/2004 Wagner et al. 356/406

6,900,886 B2 * 5/2005 Yuasa 356/218

2003/0223067 A1 * 12/2003 Sergoyan 356/402

FIG. 4 is a right side view thereof;

FIG. 5 is a plan view thereof;

FIG. 6 is a bottom view thereof;

FIG. 7 is a perspective view taken from the front, plan and left side thereof; and,

FIG. 8 is a perspective view taken from the rear, bottom and right side thereof.

1 Claim, 8 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

