



US00D551617S

(12) **United States Design Patent**  
**Houghton**

(10) **Patent No.:** **US D551,617 S**

(45) **Date of Patent:** **\*\* Sep. 25, 2007**

(54) **CHARGER BASE**

(75) Inventor: **Stephen Houghton**, Newcastle Upon Tyne (GB)

(73) Assignee: **Black & Decker Inc.**, Newark, DE (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/260,380**

(22) Filed: **May 24, 2006**

(30) **Foreign Application Priority Data**

Dec. 2, 2005 (EM) ..... 000441753-0001

(51) **LOC (8) Cl.** ..... **13-02**

(52) **U.S. Cl.** ..... **D13/108**

(58) **Field of Classification Search** ..... D13/107-110,  
D13/118-119, 184; D14/251, 253, 432,  
D14/434; 320/107-115

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|              |         |               |       |         |
|--------------|---------|---------------|-------|---------|
| D322,061 S * | 12/1991 | Watanabe      | ..... | D13/108 |
| D335,861 S * | 5/1993  | Tattari       | ..... | D13/108 |
| D360,723 S * | 7/1995  | Kasai et al.  | ..... | D32/73  |
| D363,917 S * | 11/1995 | Kanou et al.  | ..... | D13/108 |
| D455,397 S * | 4/2002  | Weiner et al. | ..... | D13/108 |
| D456,351 S * | 4/2002  | Yoneda        | ..... | D13/108 |
| D488,439 S * | 4/2004  | Orthey        | ..... | D13/107 |
| D501,191 S * | 1/2005  | Siebke        | ..... | D14/149 |
| D506,437 S * | 6/2005  | Nishizawa     | ..... | D13/108 |

|              |         |                |       |         |
|--------------|---------|----------------|-------|---------|
| D508,019 S * | 8/2005  | Lamason et al. | ..... | D13/108 |
| D512,962 S * | 12/2005 | Nishizawa      | ..... | D13/108 |
| D522,963 S * | 6/2006  | Hayes et al.   | ..... | D13/108 |
| D525,193 S * | 7/2006  | Vu             | ..... | D13/108 |

\* cited by examiner

*Primary Examiner*—Alan P. Douglas

*Assistant Examiner*—Rosemary K. Tarcza

(74) *Attorney, Agent, or Firm*—John Yun; Bruce S. Shapiro; Wesley Muller

(57) **CLAIM**

The ornamental design for a charger base, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a charger base showing my new design.

FIG. 2 is a right side view of a charger base according to FIG. 1.

FIG. 3 is a left side view of a charger base according to FIG. 1.

FIG. 4 is a front view of a charger base according to FIG. 1.


FIG. 5 is a rear view of a charger base according to FIG. 1.

FIG. 6 is a top view of a charger base according to FIG. 1; and,

FIG. 7 is a bottom view of a charger base according to FIG. 1.

In the above drawings the broken lines and the areas within the broken lines form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG.2




FIG. 3




FIG.5




FIG.4




FIG.6




FIG. 7