



US00D551687S

(12) **United States Design Patent**
Rosler

(10) **Patent No.:** **US D551,687 S**

(45) **Date of Patent:** **** Sep. 25, 2007**

(54) **TRANSMISSION SNAP RING STABILIZER**

5,788,399 A * 8/1998 Smearsoll 403/327
5,875,536 A * 3/1999 Ring 29/407.1
D434,967 S * 12/2000 Habeck et al. D8/349

(76) Inventor: **Carl Rosler**, 1 Rosler Dr., Girard, OH
(US) 44420

* cited by examiner

(**) Term: **14 Years**

Primary Examiner—Antoine D. Davis

Assistant Examiner—Patricia Palasik

(21) Appl. No.: **29/234,625**

(74) *Attorney, Agent, or Firm*—Harpman & Harpman

(22) Filed: **Jul. 21, 2005**

(57) **CLAIM**

(51) **LOC (8) Cl.** **15-09**

The ornamental design for a transmission snap ring stabilizer, as shown and described.

(52) **U.S. Cl.** **D15/149**

(58) **Field of Classification Search** D15/140,
D15/143, 148, 149, 141; D8/349, 381; 74/335,
74/473 R, 473.24, 477; 267/14.1 A, 14.1 C,
267/14.1 E, 14.1 R, 14.1 AE; 403/220, 225,
403/327; 411/353, 517

See application file for complete search history.

DESCRIPTION

FIG. 1 is a front elevational view of the transmission snap ring stabilizer;

FIG. 2 is a perspective view thereof;

FIG. 3 is a right side elevational view thereof, the left side being a mirror image thereof;

FIG. 4 is a back elevational view thereof; and,


FIG. 5 is a bottom plan view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

45,052 A * 11/1864 Vail 623/63
D268,156 S * 3/1983 Rycus D8/381
D327,488 S * 6/1992 Davila D15/149

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 4




FIG. 3



FIG. 5