



US00D551796S

(12) **United States Design Patent** (10) **Patent No.:** **US D551,796 S**  
**Acedo** (45) **Date of Patent:** **\*\* Sep. 25, 2007**

(54) **LIGHTING FIXTURE**

(75) Inventor: **Carol L. Acedo**, Azle, TX (US)  
(73) Assignee: **Hubbell Incorporated**, Orange, CT (US)  
(\*\*) Term: **14 Years**  
(21) Appl. No.: **29/255,040**  
(22) Filed: **Mar. 3, 2006**

(51) **LOC (8) Cl.** ..... **26-03**  
(52) **U.S. Cl.** ..... **D26/89; D26/88**  
(58) **Field of Classification Search** ..... D26/59,  
D26/85, 88, 89, 91, 128, 130-136; D23/377,  
D23/379, 411; 416/5; 362/147, 350, 364,  
362/365, 404, 406, 408  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D42,860 S *	8/1912	Schepmoes	.....	D26/89
D51,650 S	1/1918	Macbeth		
D53,231 S *	4/1919	Adam	.....	D26/88
D53,976 S	11/1919	Adam		
D55,166 S	5/1920	Gosling		
D57,416 S	3/1921	Adam		
D57,419 S	3/1921	Adam		
1,508,184 A *	9/1924	Harrison	.....	362/300
D67,288 S	5/1925	Kopp		
1,786,748 A *	12/1930	Gillinder	.....	362/348
D89,273 S *	2/1933	Blau	.....	D26/131
D109,661 S *	5/1938	Hoeveler	.....	D26/88
D110,977 S	8/1938	Parlato		
D217,636 S	5/1970	Mori		
5,006,971 A *	4/1991	Jenkins	.....	362/252
D331,101 S *	11/1992	Rezek	.....	D23/377
D343,245 S *	1/1994	Fouke et al.	.....	D26/88
D389,269 S	1/1998	Porter		
D390,995 S	2/1998	Ewing et al.		
D432,257 S *	10/2000	Ewing	.....	D26/85
D440,341 S *	4/2001	Arumugasaamy	.....	D26/85
D467,676 S	12/2002	Packer et al.		
D482,157 S	11/2003	McClow et al.		

**OTHER PUBLICATIONS**

Architectural Area Lighting, ALN 418-Portsmouth, Product Catalog, 1998, p. 1-29.

\* cited by examiner

*Primary Examiner*—Clare E Heflin

(74) *Attorney, Agent, or Firm*—Mark S. Bicks; Alfred N. Goodman

(57) **CLAIM**

The ornamental design for a lighting fixture, as shown and described.

**DESCRIPTION**

FIG. 1 is a top plan view of the lighting fixture in accordance with a first embodiment of the present design,

FIG. 2 is a front elevational view of the lighting fixture illustrated in FIG. 1, with the rear, left side, and right side elevational views being the same as the front elevational view illustrated in FIG. 2,

FIG. 3 is a bottom plan view of the lighting fixture illustrated in FIGS. 1-2,

FIG. 4 is a top plan view of the lighting fixture in accordance with a second embodiment of the present design,

FIG. 5 is a front elevational view of the lighting fixture illustrated in FIG. 4, with the rear, left side, and right side elevational views being the same as the front elevational view illustrated in FIG. 5,


FIG. 6 is a bottom plan view of the lighting fixture illustrated in FIGS. 4-5,

FIG. 7 is a top plan view of the lighting fixture in accordance with a third embodiment of the present design,

FIG. 8 is a front elevational view of the lighting fixture illustrated in FIG. 7, with the rear, left side, and right side elevational views being the same as the front elevational view illustrated in FIG. 7; and,

FIG. 9 is a bottom plan view of the lighting fixture illustrated in FIGS. 7-8.

**1 Claim, 1 Drawing Sheet**






FIG. 1




FIG. 4




FIG. 7




FIG. 2




FIG. 5




FIG. 8




FIG. 3




FIG. 6




FIG. 9