

US00D551876S

(12) **United States Design Patent** (10) **Patent No.:** **US D551,876 S**
Gusdorf et al. (45) **Date of Patent:** **** Oct. 2, 2007**

(54) **TRAY**

(75) Inventors: **Michael L. Gusdorf**, St. Louis, MO
(US); **Hsing-Ling Li**, Crawford, MO
(US)

(73) Assignee: **Industrial Wire Products, Inc.**,
Sullivan, MO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/221,792**

(22) Filed: **Jan. 20, 2005**

(51) **LOC (8) Cl.** **06-01**

(52) **U.S. Cl.** **D6/406.6**

(58) **Field of Classification Search** D6/406.3,
D6/406.5, 406.6, 429, 440, 442, 451, 489,
D6/510, 511, 449, 455, 457, 458, 459, 461,
D6/512, 552, 363, 407; D7/552.1, 552.2,
D7/554.1, 554.2, 554.3, 544.4, 550, 556,
D7/388; D19/91; D12/416; 211/85.13,
211/126.8, 126.16, 133.5, 133.1, 126.1, 126.6,
211/149; 108/157.1, 143, 157.13, 115, 40;
297/450.1; 434/432; 229/904; 135/137
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,003,241 A * 5/1935 Brown 248/439
D178,838 S * 9/1956 Jacoby D6/397
D178,839 S * 9/1956 Jacoby D6/397
D180,599 S * 7/1957 Jacoby D6/397
2,906,412 A * 9/1959 Tanner 211/74
D187,378 S * 3/1960 Allen D6/407
4,444,320 A * 4/1984 Chap 211/134
D280,788 S * 10/1985 Levin D6/406.6
D293,634 S * 1/1988 Rattner D6/440
D319,358 S * 8/1991 Giugiaro D6/406.6
5,074,223 A * 12/1991 Remmers 108/91
5,152,407 A * 10/1992 Massoudnia et al. 211/126.8

D427,803 S * 7/2000 Walters-Dowding
et al. D6/406.6
D428,729 S * 8/2000 Weitzman et al. D6/406.6
D455,025 S * 4/2002 Weitzman et al. D6/406.5

OTHER PUBLICATIONS

Cabinet Shelf, Bed Bath and Beyond website, URL: http://www.bedbathandbeyond.com/product.asp?order_num=-1&SKU=11197477, This page dates from Apr. 13, 2004.*

* cited by examiner

Primary Examiner—Ian Simmons

Assistant Examiner—Charles Hanson

(74) *Attorney, Agent, or Firm*—Paul M. Denk

(57) **CLAIM**

The ornamental design for a tray, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a tray showing our new design;

FIG. 2 is a front view, the rear view being a mirror image thereof;

FIG. 3 is an end view, the opposite end view being a mirror image thereof;

FIG. 4 is a bottom plan view;

FIG. 5 is a top plan view;

FIG. 6 is an isometric view of a modified embodiment of the design shown is FIGS. 1–5;


FIG. 7 is a front view, the rear view being a mirror image thereof;

FIG. 8 is an end view, the opposite end view being a mirror image thereof;

FIG. 9 is a bottom view; and,

FIG. 10 is a top plan view.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10