



US00D551910S

(12) **United States Design Patent**
Rouso et al.

(10) **Patent No.: US D551,910 S**
(45) **Date of Patent: ** Oct. 2, 2007**

(54) **BOWL**

(75) Inventors: **John Rouso**, Trumbull, CT (US);
Stephen Mowers, Fairfield, CT (US);
Arden Hill, Brookline, MA (US);
Erin-Anne Lemieux, Milford, NH
(US); **Kevin Michael Krauss**,
Maynard, MA (US); **Mark Baerenrodt**,
Milford, NH (US)

(73) Assignee: **Playtex Products, Inc.**, Westport, CT
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/261,427**

(22) Filed: **Jun. 14, 2006**

Related U.S. Application Data

(63) Continuation of application No. 29/240,246, filed on
Oct. 11, 2005, now abandoned.

(51) **LOC (8) Cl.** **07-01**

(52) **U.S. Cl.** **D7/566; D7/570**

(58) **Field of Classification Search** D7/213,
D7/38-88, 500-501, 540, 542-435, 550.1,
D7/558, 561, 562, 565-568, 570, 584, 586,
D7/588, 590, 602, 608, 619.1, 624.1-624.2;
D6/449; D11/143, 164; D23/285; D24/227;
D27/109; D9/424, 429, 455, 516, 574, 559;
D28/77; 215/393; 220/574, 737; 248/346.11
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

791,097 A * 5/1905 Jericho 215/393
D119,279 S * 3/1940 May D7/565
D206,772 S * 1/1967 Reny D9/424
D263,668 S * 4/1982 Knutson D7/570
D278,588 S * 4/1985 Knutson D7/570
D295,962 S * 5/1988 Conlon D9/455
5,564,665 A * 10/1996 Resnick 248/519
D414,658 S * 10/1999 Lin D7/602

D440,016 S * 4/2001 Thorpe D28/77
D482,296 S * 11/2003 Chaine et al. D11/143
D484,747 S * 1/2004 McMahon, III D7/566

OTHER PUBLICATIONS

http://www.villeroy-boch.com/index.php?id=454&C=US&L=en&user_ocrprefix=1366&user_artnr=1013662613&user_erstezeile=0.*

* cited by examiner

Primary Examiner—Philip S. Hyder

Assistant Examiner—Cynthia Underwood

(74) *Attorney, Agent, or Firm*—Ohlandt, Greeley, Ruggiero
& Perle, L.L.P.

(57) **CLAIM**

The ornamental design for a bowl, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a bowl showing our new design;

FIG. 2 is a bottom perspective view of the bowl of FIG. 1;

FIG. 3 is a top view of the bowl of FIG. 1;

FIG. 4 is a bottom view of the bowl of FIG. 1;

FIG. 5 is first side view of the bowl of FIG. 1;

FIG. 6 is a second side view of the bowl of FIG. 1 rotated 120° from the first side view of FIG. 5;

FIG. 7 is a third side view of the bowl of FIG. 1 rotated 240° from the first side view of FIG. 5;

FIG. 8 is a top perspective view of a second embodiment of a bowl showing our new design;

FIG. 9 is a bottom perspective view of the bowl of FIG. 8;

FIG. 10 is a top view of the bowl of FIG. 8;



FIG. 11 is a bottom view of the bowl of FIG. 8;

FIG. 12 is first side view of the bowl of FIG. 8;

FIG. 13 is a second side view of the bowl of FIG. 8 rotated 120° from the first side view of FIG. 12; and,

FIG. 14 is a third side view of the bowl of FIG. 8 rotated 240° from the first side view of FIG. 12.

1 Claim, 10 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14